

Needle Thread consumption

1	169 st.	2.7% (0.5 m)
2	224 st.	3.6% (0.7 m)
3	1981 st.	57.5% (11.9 m)
4	599 st.	15.9% (3.3 m)
5	80 st.	1.4% (0.3 m)
6	205 st.	5.3% (1.1 m)
7	53 st.	0.7% (0.1 m)
8	130 st.	3.2% (0.7 m)
9	293 st.	5.7% (1.2 m)
10	241 st.	4.2% (0.9 m)

Upper thread 20.7 m
Bobbin 6.9 m

File: A4X4.jef (Janome)

Stitches: 3975

Size: 66.8 x 96.7 mm (2.63 x 3.81 ")

Begin: 33.4, 48.4 mm

End: 14.7, 58.8 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(170) Stop 1
(394) Stop 2
(2375) Stop 3
(2974) Stop 4
(3054) Stop 5
(3259) Stop 6
(3312) Stop 7
(3442) Stop 8
(3735) Stop 9
(3975) End

Stitches ratio diagram:



Needle Thread consumption

1	247 st.	2.5% (0.9 m)
2	329 st.	3.4% (1.2 m)
3	3078 st.	55.2% (18.6 m)
4	898 st.	15.3% (5.2 m)
5	118 st.	1.4% (0.5 m)
6	305 st.	5.1% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.1% (1.0 m)
9	531 st.	7.3% (2.5 m)
10	458 st.	6.1% (2.0 m)

Upper thread 33.8 m
Bobbin 11.3 m

File: A5X7.jef (Janome)

Stitches: 6234

Size: 103.7 x 150.5 mm (4.08 x 5.93 ")

Begin: 51.9, 75.3 mm

End: 23.0, 92.2 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(248) Stop 1
(577) Stop 2
(3655) Stop 3
(4553) Stop 4
(4671) Stop 5
(4976) Stop 6
(5051) Stop 7
(5246) Stop 8
(5777) Stop 9
(6234) End

Stitches ratio diagram:



Needle Thread consumption

1	154 st.	2.0%	(0.5 m)
2	264 st.	3.7%	(1.0 m)
3	2700 st.	61.8%	(16.3 m)
4	703 st.	15.0%	(4.0 m)
5	81 st.	1.1%	(0.3 m)
6	205 st.	4.2%	(1.1 m)
7	53 st.	0.6%	(0.2 m)
8	135 st.	2.6%	(0.7 m)
9	303 st.	4.7%	(1.3 m)
10	286 st.	4.3%	(1.1 m)

Upper thread 26.4 m
Bobbin 8.8 m

File: B4X4.jef (Janome)

Stitches: 4884

Size: 63.0 x 93.6 mm (2.48 x 3.69 ")

Begin: 31.5, 46.8 mm

End: 10.9, 66.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(155) Stop 1
(419) Stop 2
(3119) Stop 3
(3822) Stop 4
(3903) Stop 5
(4108) Stop 6
(4161) Stop 7
(4296) Stop 8
(4599) Stop 9
(4884) End

Stitches ratio diagram:



Needle Thread consumption

1	233 st.	2.0% (0.8 m)
2	395 st.	3.5% (1.5 m)
3	4185 st.	59.6% (25.4 m)
4	1064 st.	14.6% (6.2 m)
5	119 st.	1.0% (0.4 m)
6	315 st.	4.1% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.5% (1.1 m)
9	606 st.	6.5% (2.8 m)
10	510 st.	5.7% (2.4 m)

Upper thread 42.7 m
Bobbin 14.2 m

File: B5X7.jef (Janome)

Stitches: 7697

Size: 98.5 x 144.7 mm (3.88 x 5.70 ")

Begin: 49.3, 72.4 mm

End: 17.0, 103.3 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(234) Stop 1
(629) Stop 2
(4814) Stop 3
(5878) Stop 4
(5997) Stop 5
(6312) Stop 6
(6387) Stop 7
(6582) Stop 8
(7188) Stop 9
(7697) End

Stitches ratio diagram:



Needle Thread consumption

1	185 st.	2.8% (0.6 m)
2	184 st.	2.7% (0.5 m)
3	2047 st.	60.4% (12.2 m)
4	503 st.	13.3% (2.7 m)
5	77 st.	1.2% (0.2 m)
6	200 st.	5.3% (1.1 m)
7	51 st.	0.7% (0.1 m)
8	125 st.	3.3% (0.7 m)
9	286 st.	5.7% (1.2 m)
10	244 st.	4.5% (0.9 m)

Upper thread 20.2 m
Bobbin 6.7 m

File: C4X4.jef (Janome)

Stitches: 3902

Size: 67.8 x 96.0 mm (2.67 x 3.78 ")

Begin: 33.9, 48.0 mm

End: 16.3, 78.9 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(186) Stop 1
(370) Stop 2
(2417) Stop 3
(2920) Stop 4
(2997) Stop 5
(3197) Stop 6
(3248) Stop 7
(3373) Stop 8
(3659) Stop 9
(3902) End

Stitches ratio diagram:



Needle Thread consumption

1	276 st.	2.7% (0.9 m)
2	274 st.	2.6% (0.8 m)
3	3186 st.	57.9% (19.2 m)
4	753 st.	12.8% (4.2 m)
5	113 st.	1.1% (0.4 m)
6	305 st.	5.1% (1.7 m)
7	73 st.	0.7% (0.2 m)
8	195 st.	3.1% (1.0 m)
9	554 st.	7.7% (2.5 m)
10	465 st.	6.4% (2.1 m)

Upper thread 33.1 m
Bobbin 11.0 m

File: C5X7.jef (Janome)

Stitches: 6194

Size: 105.2 x 148.5 mm (4.14 x 5.85 ")

Begin: 52.6, 74.3 mm

End: 25.5, 122.9 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (277) Stop 1
- (551) Stop 2
- (3737) Stop 3
- (4490) Stop 4
- (4603) Stop 5
- (4908) Stop 6
- (4981) Stop 7
- (5176) Stop 8
- (5730) Stop 9
- (6194) End



Needle Thread consumption

1	145 st.	2.1% (0.5 m)
2	233 st.	3.3% (0.8 m)
3	2372 st.	59.4% (14.3 m)
4	629 st.	15.2% (3.6 m)
5	81 st.	1.3% (0.3 m)
6	205 st.	4.6% (1.1 m)
7	53 st.	0.6% (0.2 m)
8	135 st.	2.8% (0.7 m)
9	342 st.	5.8% (1.4 m)
10	293 st.	4.8% (1.2 m)

Upper thread 24.0 m
Bobbin 8.0 m

File: D4X4.jef (Janome)

Stitches: 4488

Size: 66.0 x 95.1 mm (2.60 x 3.74 ")

Begin: 33.0, 47.5 mm

End: 16.1, 71.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(146) Stop 1
(379) Stop 2
(2751) Stop 3
(3380) Stop 4
(3461) Stop 5
(3666) Stop 6
(3719) Stop 7
(3854) Stop 8
(4196) Stop 9
(4488) End

Stitches ratio diagram:



Needle Thread consumption

1	216 st.	2.0% (0.8 m)
2	350 st.	3.1% (1.2 m)
3	3691 st.	56.9% (22.3 m)
4	969 st.	14.6% (5.7 m)
5	120 st.	1.2% (0.5 m)
6	315 st.	4.5% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.7% (1.1 m)
9	665 st.	7.9% (3.1 m)
10	560 st.	6.5% (2.5 m)

Upper thread 39.2 m
Bobbin 13.1 m

File: D5X7.jef (Janome)

Stitches: 7156

Size: 102.4 x 147.9 mm (4.03 x 5.82 ")

Begin: 51.2, 74.0 mm

End: 25.2, 111.9 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(217) Stop 1
(567) Stop 2
(4258) Stop 3
(5227) Stop 4
(5347) Stop 5
(5662) Stop 6
(5737) Stop 7
(5932) Stop 8
(6597) Stop 9
(7156) End

Stitches ratio diagram:



Needle Thread consumption

1	207 st.	2.9% (0.6 m)
2	206 st.	2.8% (0.6 m)
3	2152 st.	60.0% (12.9 m)
4	561 st.	14.3% (3.1 m)
5	80 st.	1.3% (0.3 m)
6	205 st.	5.2% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.2% (0.7 m)
9	287 st.	5.4% (1.2 m)
10	241 st.	4.1% (0.9 m)

Upper thread 21.4 m
Bobbin 7.1 m

File: E4X4.jef (Janome)

Stitches: 4127

Size: 65.0 x 93.3 mm (2.56 x 3.67 ")

Begin: 32.5, 46.7 mm

End: 18.8, 66.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(208) Stop 1
(414) Stop 2
(2566) Stop 3
(3127) Stop 4
(3207) Stop 5
(3412) Stop 6
(3465) Stop 7
(3600) Stop 8
(3887) Stop 9
(4127) End

Stitches ratio diagram:



Needle Thread consumption

1	309 st.	2.8% (1.0 m)
2	307 st.	2.7% (0.9 m)
3	3347 st.	57.7% (20.1 m)
4	853 st.	13.8% (4.8 m)
5	119 st.	1.2% (0.4 m)
6	315 st.	5.0% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.1% (1.1 m)
9	537 st.	7.1% (2.5 m)
10	455 st.	5.9% (2.1 m)

Upper thread	34.9 m
Bobbin	11.6 m

File: E5X7.jef (Janome)

Stitches: 6512

Size: 100.8 x 145.1 mm (3.97 x 5.71 ")

Begin: 50.4, 72.5 mm

End: 29.4, 104.3 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (310) Stop 1
- (617) Stop 2
- (3964) Stop 3
- (4817) Stop 4
- (4936) Stop 5
- (5251) Stop 6
- (5326) Stop 7
- (5521) Stop 8
- (6058) Stop 9
- (6512) End

Stitches ratio diagram:



Needle Thread consumption

1	195 st.	3.1% (0.6 m)
2	191 st.	2.7% (0.6 m)
3	1982 st.	58.7% (11.9 m)
4	518 st.	14.1% (2.9 m)
5	83 st.	1.6% (0.3 m)
6	205 st.	5.5% (1.1 m)
7	53 st.	0.8% (0.2 m)
8	135 st.	3.4% (0.7 m)
9	287 st.	5.8% (1.2 m)
10	241 st.	4.4% (0.9 m)

Upper thread 20.2 m
Bobbin 6.7 m

File: F4X4.jef (Janome)

Stitches: 3890

Size: 66.8 x 92.4 mm (2.63 x 3.64 ")

Begin: 33.4, 46.2 mm

End: 18.8, 68.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(196) Stop 1
(387) Stop 2
(2369) Stop 3
(2887) Stop 4
(2970) Stop 5
(3175) Stop 6
(3228) Stop 7
(3363) Stop 8
(3650) Stop 9
(3890) End

Stitches ratio diagram:



Needle Thread consumption

1	287 st.	3.0% (1.0 m)
2	281 st.	2.6% (0.9 m)
3	3077 st.	56.2% (18.5 m)
4	787 st.	13.6% (4.5 m)
5	122 st.	1.5% (0.5 m)
6	315 st.	5.3% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.2% (1.1 m)
9	537 st.	7.6% (2.5 m)
10	455 st.	6.2% (2.1 m)

Upper thread 32.9 m
Bobbin 11.0 m

File: F5X7.jef (Janome)

Stitches: 6131

Size: 103.6 x 142.8 mm (4.08 x 5.62 ")

Begin: 51.8, 71.4 mm

End: 29.4, 105.7 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(288) Stop 1
(569) Stop 2
(3646) Stop 3
(4433) Stop 4
(4555) Stop 5
(4870) Stop 6
(4945) Stop 7
(5140) Stop 8
(5677) Stop 9
(6131) End

Stitches ratio diagram:



Needle Thread consumption

1	215 st.	2.9% (0.7 m)
2	212 st.	2.7% (0.6 m)
3	2331 st.	61.4% (13.9 m)
4	577 st.	14.0% (3.2 m)
5	82 st.	1.3% (0.3 m)
6	205 st.	4.9% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.0% (0.7 m)
9	287 st.	5.1% (1.2 m)
10	241 st.	3.9% (0.9 m)

Upper thread 22.7 m
Bobbin 7.6 m

File: G4X4.jef (Janome)

Stitches: 4338

Size: 64.5 x 98.0 mm (2.54 x 3.86 ")

Begin: 32.2, 49.0 mm

End: 12.6, 83.6 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (216) Stop 1
- (428) Stop 2
- (2759) Stop 3
- (3336) Stop 4
- (3418) Stop 5
- (3623) Stop 6
- (3676) Stop 7
- (3811) Stop 8
- (4098) Stop 9
- (4338) End



Needle Thread consumption

1	318 st.	2.8% (1.0 m)
2	314 st.	2.6% (1.0 m)
3	3638 st.	59.2% (21.9 m)
4	875 st.	13.5% (5.0 m)
5	121 st.	1.3% (0.5 m)
6	315 st.	4.7% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.9% (1.1 m)
9	534 st.	6.7% (2.5 m)
10	454 st.	5.6% (2.1 m)

Upper thread 36.9 m
Bobbin 12.3 m

File: G5X7.jef (Janome)

Stitches: 6839

Size: 100.0 x 151.5 mm (3.94 x 5.96 ")

Begin: 50.0, 75.8 mm

End: 19.6, 130.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(319) Stop 1
(633) Stop 2
(4271) Stop 3
(5146) Stop 4
(5267) Stop 5
(5582) Stop 6
(5657) Stop 7
(5852) Stop 8
(6386) Stop 9
(6839) End

Stitches ratio diagram:



Needle Thread consumption

1	290 st.	3.0% (0.9 m)
2	287 st.	2.8% (0.8 m)
3	3227 st.	65.3% (19.4 m)
4	778 st.	14.4% (4.3 m)
5	83 st.	1.1% (0.3 m)
6	205 st.	3.7% (1.1 m)
7	53 st.	0.5% (0.2 m)
8	135 st.	2.3% (0.7 m)
9	287 st.	3.9% (1.2 m)
10	242 st.	3.0% (0.9 m)

Upper thread 29.8 m
Bobbin 9.9 m

File: H4X4.jef (Janome)

Stitches: 5587

Size: 68.4 x 97.6 mm (2.69 x 3.84 ")

Begin: 34.2, 48.8 mm

End: 32.9, 65.0 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(291) Stop 1
(578) Stop 2
(3805) Stop 3
(4583) Stop 4
(4666) Stop 5
(4871) Stop 6
(4924) Stop 7
(5059) Stop 8
(5346) Stop 9
(5587) End

Stitches ratio diagram:



Needle Thread consumption

1	428 st.	3.0% (1.4 m)
2	423 st.	2.7% (1.3 m)
3	5015 st.	63.3% (30.3 m)
4	1191 st.	14.1% (6.7 m)
5	122 st.	1.0% (0.5 m)
6	315 st.	3.7% (1.7 m)
7	75 st.	0.5% (0.2 m)
8	195 st.	2.2% (1.1 m)
9	533 st.	5.1% (2.5 m)
10	455 st.	4.4% (2.1 m)

Upper thread 47.9 m
Bobbin 16.0 m

File: H5X7.jef (Janome)

Stitches: 8752

Size: 106.2 x 150.9 mm (4.18 x 5.94 ")

Begin: 53.1, 75.4 mm

End: 50.7, 100.8 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(429) Stop 1
(852) Stop 2
(5867) Stop 3
(7058) Stop 4
(7180) Stop 5
(7495) Stop 6
(7570) Stop 7
(7765) Stop 8
(8298) Stop 9
(8752) End

Stitches ratio diagram:



Needle Thread consumption

1	147 st.	3.2% (0.5 m)
2	144 st.	2.7% (0.4 m)
3	1346 st.	51.9% (8.0 m)
4	393 st.	14.3% (2.2 m)
5	83 st.	2.1% (0.3 m)
6	205 st.	7.2% (1.1 m)
7	53 st.	1.0% (0.2 m)
8	135 st.	4.4% (0.7 m)
9	287 st.	7.4% (1.1 m)
10	241 st.	5.8% (0.9 m)

Upper thread 15.4 m
Bobbin 5.1 m

File: I4X4.jef (Janome)

Stitches: 3034

Size: 51.0 x 95.0 mm (2.01 x 3.74 ")

Begin: 25.5, 47.5 mm

End: 39.9, 75.0 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (148) Stop 1
- (292) Stop 2
- (1638) Stop 3
- (2031) Stop 4
- (2114) Stop 5
- (2319) Stop 6
- (2372) Stop 7
- (2507) Stop 8
- (2794) Stop 9
- (3034) End



Needle Thread consumption

1	217 st.	3.0% (0.8 m)
2	212 st.	2.6% (0.7 m)
3	2084 st.	49.2% (12.6 m)
4	596 st.	13.6% (3.5 m)
5	122 st.	2.0% (0.5 m)
6	315 st.	6.8% (1.7 m)
7	75 st.	0.9% (0.2 m)
8	195 st.	4.2% (1.1 m)
9	534 st.	9.6% (2.5 m)
10	455 st.	8.1% (2.1 m)

Upper thread 25.5 m
Bobbin 8.5 m

File: I5X7.jef (Janome)

Stitches: 4805

Size: 79.6 x 146.9 mm (3.13 x 5.78 ")

Begin: 39.8, 73.5 mm

End: 62.2, 116.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(218) Stop 1
(430) Stop 2
(2514) Stop 3
(3110) Stop 4
(3232) Stop 5
(3547) Stop 6
(3622) Stop 7
(3817) Stop 8
(4351) Stop 9
(4805) End

Stitches ratio diagram:



Needle Thread consumption

1	170 st.	3.0% (0.6 m)
2	166 st.	2.6% (0.5 m)
3	1787 st.	58.0% (10.7 m)
4	449 st.	13.1% (2.4 m)
5	81 st.	1.6% (0.3 m)
6	205 st.	6.1% (1.1 m)
7	53 st.	0.8% (0.2 m)
8	135 st.	3.7% (0.7 m)
9	286 st.	6.2% (1.1 m)
10	241 st.	4.8% (0.9 m)

Upper thread 18.4 m
Bobbin 6.1 m

File: J4X4.jef (Janome)

Stitches: 3573

Size: 55.0 x 93.7 mm (2.17 x 3.69 ")

Begin: 27.5, 46.9 mm

End: 42.4, 76.2 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (171) Stop 1
- (337) Stop 2
- (2124) Stop 3
- (2573) Stop 4
- (2654) Stop 5
- (2859) Stop 6
- (2912) Stop 7
- (3047) Stop 8
- (3333) Stop 9
- (3573) End



Needle Thread consumption

1	249 st.	2.9% (0.9 m)
2	244 st.	2.5% (0.7 m)
3	2783 st.	55.5% (16.7 m)
4	675 st.	12.5% (3.8 m)
5	119 st.	1.5% (0.5 m)
6	315 st.	5.8% (1.7 m)
7	75 st.	0.8% (0.2 m)
8	195 st.	3.5% (1.1 m)
9	533 st.	8.1% (2.4 m)
10	455 st.	6.8% (2.1 m)

Upper thread	30.1 m
Bobbin	10.0 m

File: J5X7.jef (Janome)

Stitches: 5643

Size: 85.1 x 145.1 mm (3.35 x 5.71 ")

Begin: 42.6, 72.6 mm

End: 65.4, 118.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



(250)	Stop 1
(494)	Stop 2
(3277)	Stop 3
(3952)	Stop 4
(4071)	Stop 5
(4386)	Stop 6
(4461)	Stop 7
(4656)	Stop 8
(5189)	Stop 9
(5643)	End



Needle Thread consumption

1	273 st.	3.3% (0.9 m)
2	269 st.	3.0% (0.8 m)
3	2779 st.	62.3% (16.6 m)
4	736 st.	15.2% (4.0 m)
5	83 st.	1.2% (0.3 m)
6	205 st.	4.2% (1.1 m)
7	53 st.	0.6% (0.2 m)
8	135 st.	2.6% (0.7 m)
9	288 st.	4.4% (1.2 m)
10	242 st.	3.4% (0.9 m)

Upper thread	26.6 m
Bobbin	8.9 m

File: K4X4.jef (Janome)

Stitches: 5063

Size: 71.2 x 94.6 mm (2.80 x 3.72 ")

Begin: 35.6, 47.3 mm

End: 11.5, 68.7 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(274)	Stop 1
(543)	Stop 2
(3322)	Stop 3
(4058)	Stop 4
(4141)	Stop 5
(4346)	Stop 6
(4399)	Stop 7
(4534)	Stop 8
(4822)	Stop 9
(5063)	End

Stitches ratio diagram:



Needle Thread consumption

1	406 st.	3.2% (1.4 m)
2	400 st.	2.9% (1.2 m)
3	4310 st.	60.3% (25.9 m)
4	1129 st.	14.7% (6.3 m)
5	122 st.	1.2% (0.5 m)
6	315 st.	4.1% (1.7 m)
7	75 st.	0.5% (0.2 m)
8	195 st.	2.5% (1.1 m)
9	537 st.	5.8% (2.5 m)
10	456 st.	4.8% (2.1 m)

Upper thread 43.0 m
Bobbin 14.3 m

File: K5X7.jef (Janome)

Stitches: 7945

Size: 110.4 x 146.0 mm (4.35 x 5.75 ")

Begin: 55.2, 73.0 mm

End: 17.9, 106.7 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(407) Stop 1
(807) Stop 2
(5117) Stop 3
(6246) Stop 4
(6368) Stop 5
(6683) Stop 6
(6758) Stop 7
(6953) Stop 8
(7490) Stop 9
(7945) End

Stitches ratio diagram:



Needle Thread consumption

1	174 st.	3.1% (0.6 m)
2	170 st.	2.7% (0.5 m)
3	1785 st.	57.0% (10.7 m)
4	468 st.	14.0% (2.6 m)
5	83 st.	1.7% (0.3 m)
6	205 st.	6.0% (1.1 m)
7	53 st.	0.8% (0.2 m)
8	135 st.	3.7% (0.7 m)
9	287 st.	6.2% (1.2 m)
10	241 st.	4.8% (0.9 m)

Upper thread 18.7 m
Bobbin 6.2 m

File: L4X4.jef (Janome)

Stitches: 3601

Size: 64.2 x 94.2 mm (2.53 x 3.71 ")

Begin: 32.1, 47.1 mm

End: 16.5, 74.8 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(175) Stop 1
(345) Stop 2
(2130) Stop 3
(2598) Stop 4
(2681) Stop 5
(2886) Stop 6
(2939) Stop 7
(3074) Stop 8
(3361) Stop 9
(3601) End

Stitches ratio diagram:



Needle Thread consumption

1	260 st.	3.0% (0.9 m)
2	254 st.	2.6% (0.8 m)
3	2771 st.	54.5% (16.7 m)
4	712 st.	13.5% (4.1 m)
5	122 st.	1.6% (0.5 m)
6	315 st.	5.7% (1.7 m)
7	75 st.	0.8% (0.2 m)
8	195 st.	3.5% (1.1 m)
9	536 st.	8.1% (2.5 m)
10	455 st.	6.7% (2.1 m)

Upper thread 30.6 m
Bobbin 10.2 m

File: L5X7.jef (Janome)

Stitches: 5695

Size: 99.5 x 145.6 mm (3.92 x 5.73 ")

Begin: 49.8, 72.8 mm

End: 25.8, 116.3 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(261) Stop 1
(515) Stop 2
(3286) Stop 3
(3998) Stop 4
(4120) Stop 5
(4435) Stop 6
(4510) Stop 7
(4705) Stop 8
(5241) Stop 9
(5695) End

Stitches ratio diagram:



Needle Thread consumption

1	360 st.	3.4% (1.2 m)
2	357 st.	3.2% (1.1 m)
3	3718 st.	64.9% (22.2 m)
4	989 st.	15.9% (5.5 m)
5	80 st.	0.8% (0.3 m)
6	205 st.	3.3% (1.1 m)
7	53 st.	0.4% (0.2 m)
8	135 st.	2.0% (0.7 m)
9	289 st.	3.5% (1.2 m)
10	241 st.	2.6% (0.9 m)

Upper thread 34.3 m
Bobbin 11.4 m

File: M4X4.jef (Janome)

Stitches: 6427

Size: 80.0 x 92.8 mm (3.15 x 3.65 ")

Begin: 40.0, 46.4 mm

End: 7.1, 58.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(361) Stop 1
(718) Stop 2
(4436) Stop 3
(5425) Stop 4
(5505) Stop 5
(5710) Stop 6
(5763) Stop 7
(5898) Stop 8
(6187) Stop 9
(6427) End

Stitches ratio diagram:



Needle Thread consumption

1	545 st.	3.3% (1.8 m)
2	541 st.	3.1% (1.7 m)
3	5804 st.	63.4% (34.9 m)
4	1515 st.	15.6% (8.6 m)
5	118 st.	0.8% (0.4 m)
6	315 st.	3.2% (1.7 m)
7	75 st.	0.4% (0.2 m)
8	195 st.	1.9% (1.1 m)
9	537 st.	4.6% (2.5 m)
10	455 st.	3.8% (2.1 m)

Upper thread 55.0 m
Bobbin 18.3 m

File: M5X7.jef (Janome)

Stitches: 10100

Size: 124.2 x 143.5 mm (4.89 x 5.65 ")

Begin: 62.1, 71.8 mm

End: 11.0, 90.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(546) Stop 1
(1087) Stop 2
(6891) Stop 3
(8406) Stop 4
(8524) Stop 5
(8839) Stop 6
(8914) Stop 7
(9109) Stop 8
(9646) Stop 9
(10100) End

Stitches ratio diagram:



Needle Thread consumption

1	274 st.	3.4% (0.9 m)
2	270 st.	3.1% (0.8 m)
3	2713 st.	61.8% (16.3 m)
4	735 st.	15.5% (4.1 m)
5	83 st.	1.2% (0.3 m)
6	205 st.	4.2% (1.1 m)
7	53 st.	0.6% (0.2 m)
8	135 st.	2.6% (0.7 m)
9	287 st.	4.3% (1.1 m)
10	241 st.	3.4% (0.9 m)

Upper thread	26.3 m
Bobbin	8.8 m

File: N4X4.jef (Janome)

Stitches: 4996

Size: 64.2 x 89.8 mm (2.53 x 3.54 ")

Begin: 32.1, 44.9 mm

End: 41.0, 74.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(275)	Stop 1
(545)	Stop 2
(3258)	Stop 3
(3993)	Stop 4
(4076)	Stop 5
(4281)	Stop 6
(4334)	Stop 7
(4469)	Stop 8
(4756)	Stop 9
(4996)	End

Stitches ratio diagram:



Needle Thread consumption

1	412 st.	3.2% (1.4 m)
2	406 st.	3.0% (1.3 m)
3	4233 st.	59.9% (25.5 m)
4	1127 st.	15.0% (6.4 m)
5	122 st.	1.2% (0.5 m)
6	315 st.	4.1% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.5% (1.1 m)
9	534 st.	5.7% (2.4 m)
10	455 st.	4.8% (2.1 m)

Upper thread	42.6 m
Bobbin	14.2 m

File: N5X7.jef (Janome)

Stitches: 7874

Size: 99.5 x 139.3 mm (3.92 x 5.48 ")

Begin: 49.7, 69.6 mm

End: 64.3, 116.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (413) Stop 1
- (819) Stop 2
- (5052) Stop 3
- (6179) Stop 4
- (6301) Stop 5
- (6616) Stop 6
- (6691) Stop 7
- (6886) Stop 8
- (7420) Stop 9
- (7874) End

Stitches ratio diagram:



Needle Thread consumption

1	112 st.	1.9% (0.4 m)
2	192 st.	3.0% (0.6 m)
3	1957 st.	58.9% (11.7 m)
4	523 st.	14.5% (2.9 m)
5	79 st.	1.3% (0.3 m)
6	205 st.	5.6% (1.1 m)
7	53 st.	0.8% (0.2 m)
8	135 st.	3.4% (0.7 m)
9	289 st.	5.9% (1.2 m)
10	242 st.	4.6% (0.9 m)

Upper thread	19.8 m
Bobbin	6.6 m

File: O4X4.jef (Janome)

Stitches: 3787

Size: 65.0 x 88.8 mm (2.56 x 3.50 ")

Begin: 32.5, 44.4 mm

End: 4.0, 41.6 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(113)	Stop 1
(305)	Stop 2
(2262)	Stop 3
(2785)	Stop 4
(2864)	Stop 5
(3069)	Stop 6
(3122)	Stop 7
(3257)	Stop 8
(3546)	Stop 9
(3787)	End

Stitches ratio diagram:



Needle Thread consumption

1	170 st.	1.8% (0.6 m)
2	290 st.	2.9% (0.9 m)
3	3055 st.	56.6% (18.3 m)
4	794 st.	13.9% (4.5 m)
5	117 st.	1.2% (0.4 m)
6	315 st.	5.4% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.3% (1.1 m)
9	539 st.	7.8% (2.5 m)
10	456 st.	6.5% (2.1 m)

Upper thread 32.4 m
Bobbin 10.8 m

File: O5X7.jef (Janome)

Stitches: 6006

Size: 101.6 x 137.1 mm (4.00 x 5.40 ")

Begin: 50.8, 68.5 mm

End: 6.1, 64.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(171) Stop 1
(461) Stop 2
(3516) Stop 3
(4310) Stop 4
(4427) Stop 5
(4742) Stop 6
(4817) Stop 7
(5012) Stop 8
(5551) Stop 9
(6006) End

Stitches ratio diagram:



Needle Thread consumption

1	161 st.	2.6% (0.5 m)
2	196 st.	3.1% (0.6 m)
3	2015 st.	59.2% (12.2 m)
4	524 st.	14.1% (2.9 m)
5	82 st.	1.6% (0.3 m)
6	205 st.	5.4% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.3% (0.7 m)
9	287 st.	5.6% (1.2 m)
10	241 st.	4.3% (0.9 m)

Upper thread 20.6 m
Bobbin 6.9 m

File: P4X4.jef (Janome)

Stitches: 3899

Size: 67.6 x 93.4 mm (2.66 x 3.68 ")

Begin: 33.8, 46.7 mm

End: 14.3, 69.6 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(162) Stop 1
(358) Stop 2
(2373) Stop 3
(2897) Stop 4
(2979) Stop 5
(3184) Stop 6
(3237) Stop 7
(3372) Stop 8
(3659) Stop 9
(3899) End

Stitches ratio diagram:



Needle Thread consumption

1	239 st.	2.5% (0.8 m)
2	290 st.	2.9% (1.0 m)
3	3136 st.	56.8% (19.0 m)
4	786 st.	13.5% (4.5 m)
5	121 st.	1.5% (0.5 m)
6	315 st.	5.2% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.2% (1.1 m)
9	537 st.	7.4% (2.5 m)
10	455 st.	6.2% (2.1 m)

Upper thread 33.5 m
Bobbin 11.2 m

File: P5X7.jef (Janome)

Stitches: 6149

Size: 104.8 x 144.5 mm (4.13 x 5.69 ")

Begin: 52.4, 72.3 mm

End: 22.2, 108.3 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(240) Stop 1
(530) Stop 2
(3666) Stop 3
(4452) Stop 4
(4573) Stop 5
(4888) Stop 6
(4963) Stop 7
(5158) Stop 8
(5695) Stop 9
(6149) End

Stitches ratio diagram:



Needle Thread consumption

1	140 st.	2.1% (0.5 m)
2	222 st.	3.2% (0.7 m)
3	2253 st.	61.4% (13.5 m)
4	594 st.	15.0% (3.3 m)
5	79 st.	1.3% (0.3 m)
6	200 st.	4.9% (1.1 m)
7	51 st.	0.7% (0.1 m)
8	125 st.	3.0% (0.7 m)
9	279 st.	4.8% (1.0 m)
10	231 st.	3.7% (0.8 m)

Upper thread 21.9 m
Bobbin 7.3 m

File: Q4X4.jef (Janome)

Stitches: 4174

Size: 58.9 x 96.0 mm (2.32 x 3.78 ")

Begin: 29.4, 48.0 mm

End: 16.9, 88.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(141) Stop 1
(363) Stop 2
(2616) Stop 3
(3210) Stop 4
(3289) Stop 5
(3489) Stop 6
(3540) Stop 7
(3665) Stop 8
(3944) Stop 9
(4174) End

Stitches ratio diagram:



Needle Thread consumption

1	208 st.	2.0% (0.7 m)
2	328 st.	3.1% (1.1 m)
3	3499 st.	59.2% (21.1 m)
4	902 st.	14.5% (5.2 m)
5	115 st.	1.2% (0.4 m)
6	305 st.	4.7% (1.7 m)
7	73 st.	0.6% (0.2 m)
8	195 st.	2.9% (1.0 m)
9	497 st.	6.3% (2.2 m)
10	452 st.	5.4% (1.9 m)

Upper thread 35.6 m
Bobbin 11.9 m

File: Q5X7.jef (Janome)

Stitches: 6574

Size: 91.5 x 148.3 mm (3.60 x 5.84 ")

Begin: 45.7, 74.1 mm

End: 26.6, 137.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(209) Stop 1
(537) Stop 2
(4036) Stop 3
(4938) Stop 4
(5053) Stop 5
(5358) Stop 6
(5431) Stop 7
(5626) Stop 8
(6123) Stop 9
(6574) End

Stitches ratio diagram:



Needle Thread consumption

1	262 st.	2.9% (0.8 m)
2	296 st.	3.1% (0.9 m)
3	3160 st.	64.7% (19.1 m)
4	803 st.	14.8% (4.4 m)
5	82 st.	1.1% (0.3 m)
6	205 st.	3.8% (1.1 m)
7	53 st.	0.5% (0.2 m)
8	135 st.	2.3% (0.7 m)
9	286 st.	3.8% (1.1 m)
10	241 st.	3.0% (0.9 m)

Upper thread	29.5 m
Bobbin	9.8 m

File: R4X4.jef (Janome)

Stitches: 5523

Size: 64.0 x 96.6 mm (2.52 x 3.80 ")

Begin: 32.0, 48.3 mm

End: 6.2, 63.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(263)	Stop 1
(559)	Stop 2
(3719)	Stop 3
(4522)	Stop 4
(4604)	Stop 5
(4809)	Stop 6
(4862)	Stop 7
(4997)	Stop 8
(5283)	Stop 9
(5523)	End

Stitches ratio diagram:



Needle Thread consumption

1	391 st.	2.8% (1.3 m)
2	439 st.	3.0% (1.4 m)
3	4922 st.	62.9% (29.8 m)
4	1206 st.	14.4% (6.8 m)
5	121 st.	1.0% (0.5 m)
6	315 st.	3.7% (1.7 m)
7	75 st.	0.5% (0.2 m)
8	195 st.	2.2% (1.1 m)
9	533 st.	5.1% (2.4 m)
10	454 st.	4.3% (2.0 m)

Upper thread 47.4 m
Bobbin 15.8 m

File: R5X7.jef (Janome)

Stitches: 8651

Size: 99.3 x 149.5 mm (3.91 x 5.89 ")

Begin: 49.6, 74.7 mm

End: 9.8, 98.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(392) Stop 1
(831) Stop 2
(5753) Stop 3
(6959) Stop 4
(7080) Stop 5
(7395) Stop 6
(7470) Stop 7
(7665) Stop 8
(8198) Stop 9
(8651) End

Stitches ratio diagram:



Needle Thread consumption

1	211 st.	3.2% (0.7 m)
2	207 st.	2.9% (0.6 m)
3	2011 st.	58.3% (12.1 m)
4	558 st.	14.8% (3.1 m)
5	83 st.	1.5% (0.3 m)
6	205 st.	5.4% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.3% (0.7 m)
9	287 st.	5.6% (1.2 m)
10	241 st.	4.3% (0.9 m)

Upper thread 20.8 m
Bobbin 6.9 m

File: S4X4.jef (Janome)

Stitches: 3991

Size: 52.6 x 93.0 mm (2.07 x 3.66 ")

Begin: 26.3, 46.5 mm

End: 7.5, 82.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(212) Stop 1
(419) Stop 2
(2430) Stop 3
(2988) Stop 4
(3071) Stop 5
(3276) Stop 6
(3329) Stop 7
(3464) Stop 8
(3751) Stop 9
(3991) End

Stitches ratio diagram:



Needle Thread consumption

1	311 st.	3.1% (1.0 m)
2	305 st.	2.8% (0.9 m)
3	3145 st.	56.1% (19.0 m)
4	846 st.	14.2% (4.8 m)
5	122 st.	1.5% (0.5 m)
6	315 st.	5.2% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.1% (1.1 m)
9	534 st.	7.3% (2.5 m)
10	455 st.	6.1% (2.1 m)

Upper thread 33.9 m
Bobbin 11.3 m

File: S5X7.jef (Janome)

Stitches: 6303

Size: 81.3 x 143.7 mm (3.20 x 5.66 ")

Begin: 40.6, 71.8 mm

End: 11.7, 128.2 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(312) Stop 1
(617) Stop 2
(3762) Stop 3
(4608) Stop 4
(4730) Stop 5
(5045) Stop 6
(5120) Stop 7
(5315) Stop 8
(5849) Stop 9
(6303) End

Stitches ratio diagram:



Needle Thread consumption

1	171 st.	3.1% (0.6 m)
2	167 st.	2.7% (0.5 m)
3	1686 st.	55.9% (10.1 m)
4	453 st.	14.2% (2.6 m)
5	83 st.	1.8% (0.3 m)
6	205 st.	6.2% (1.1 m)
7	53 st.	0.8% (0.2 m)
8	135 st.	3.8% (0.7 m)
9	288 st.	6.5% (1.2 m)
10	241 st.	4.9% (0.9 m)

Upper thread 18.1 m
Bobbin 6.0 m

File: T4X4.jef (Janome)

Stitches: 3482

Size: 58.1 x 90.7 mm (2.29 x 3.57 ")

Begin: 29.0, 45.3 mm

End: 16.8, 48.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(172) Stop 1
(339) Stop 2
(2025) Stop 3
(2478) Stop 4
(2561) Stop 5
(2766) Stop 6
(2819) Stop 7
(2954) Stop 8
(3242) Stop 9
(3482) End

Stitches ratio diagram:



Needle Thread consumption

1	258 st.	3.0% (0.9 m)
2	252 st.	2.6% (0.8 m)
3	2623 st.	53.4% (15.8 m)
4	697 st.	13.6% (4.0 m)
5	122 st.	1.7% (0.5 m)
6	315 st.	5.9% (1.7 m)
7	75 st.	0.8% (0.2 m)
8	195 st.	3.6% (1.1 m)
9	538 st.	8.5% (2.5 m)
10	455 st.	6.9% (2.1 m)

Upper thread 29.6 m
Bobbin 9.9 m

File: T5X7.jef (Janome)

Stitches: 5530

Size: 90.9 x 141.2 mm (3.58 x 5.56 ")

Begin: 45.5, 70.6 mm

End: 26.1, 76.0 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (259) Stop 1
- (511) Stop 2
- (3134) Stop 3
- (3831) Stop 4
- (3953) Stop 5
- (4268) Stop 6
- (4343) Stop 7
- (4538) Stop 8
- (5076) Stop 9
- (5530) End



Needle Thread consumption

1	237 st.	3.3% (0.8 m)
2	233 st.	2.9% (0.7 m)
3	2445 st.	60.9% (14.6 m)
4	641 st.	14.8% (3.6 m)
5	83 st.	1.4% (0.3 m)
6	205 st.	4.6% (1.1 m)
7	53 st.	0.6% (0.2 m)
8	135 st.	2.8% (0.7 m)
9	288 st.	4.8% (1.2 m)
10	242 st.	3.8% (0.9 m)

Upper thread 24.1 m
Bobbin 8.0 m

File: U4X4.jef (Janome)

Stitches: 4562

Size: 67.4 x 89.2 mm (2.65 x 3.51 ")

Begin: 33.7, 44.6 mm

End: 4.0, 47.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(238) Stop 1
(471) Stop 2
(2916) Stop 3
(3557) Stop 4
(3640) Stop 5
(3845) Stop 6
(3898) Stop 7
(4033) Stop 8
(4321) Stop 9
(4562) End

Stitches ratio diagram:



Needle Thread consumption

1	354 st.	3.1% (1.2 m)
2	349 st.	2.8% (1.1 m)
3	3809 st.	58.8% (23.0 m)
4	978 st.	14.4% (5.6 m)
5	122 st.	1.4% (0.5 m)
6	315 st.	4.5% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.7% (1.1 m)
9	537 st.	6.3% (2.5 m)
10	456 st.	5.3% (2.1 m)

Upper thread 39.1 m
Bobbin 13.0 m

File: U5X7.jef (Janome)

Stitches: 7190

Size: 105.4 x 137.9 mm (4.15 x 5.43 ")

Begin: 52.7, 68.9 mm

End: 6.1, 72.8 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(355) Stop 1
(704) Stop 2
(4513) Stop 3
(5491) Stop 4
(5613) Stop 5
(5928) Stop 6
(6003) Stop 7
(6198) Stop 8
(6735) Stop 9
(7190) End

Stitches ratio diagram:



Needle Thread consumption

1	207 st.	3.0% (0.7 m)
2	204 st.	2.7% (0.6 m)
3	2300 st.	61.2% (13.7 m)
4	552 st.	13.8% (3.1 m)
5	82 st.	1.5% (0.3 m)
6	205 st.	5.0% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.0% (0.7 m)
9	287 st.	5.1% (1.2 m)
10	242 st.	4.0% (0.9 m)

Upper thread 22.5 m
Bobbin 7.5 m

File: V4X4.jef (Janome)

Stitches: 4267

Size: 56.6 x 90.6 mm (2.23 x 3.57 ")

Begin: 28.3, 45.3 mm

End: 5.5, 71.5 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



(208) Stop 1
(412) Stop 2
(2712) Stop 3
(3264) Stop 4
(3346) Stop 5
(3551) Stop 6
(3604) Stop 7
(3739) Stop 8
(4026) Stop 9
(4267) End



Needle Thread consumption

1	310 st.	2.9% (1.1 m)
2	305 st.	2.6% (0.9 m)
3	3587 st.	59.0% (21.6 m)
4	851 st.	13.3% (4.9 m)
5	122 st.	1.4% (0.5 m)
6	315 st.	4.8% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.9% (1.1 m)
9	537 st.	6.8% (2.5 m)
10	456 st.	5.7% (2.1 m)

Upper thread 36.6 m
Bobbin 12.2 m

File: V5X7.jef (Janome)

Stitches: 6753

Size: 87.7 x 140.2 mm (3.45 x 5.52 ")

Begin: 43.8, 70.1 mm

End: 8.6, 111.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(311) Stop 1
(616) Stop 2
(4203) Stop 3
(5054) Stop 4
(5176) Stop 5
(5491) Stop 6
(5566) Stop 7
(5761) Stop 8
(6298) Stop 9
(6753) End

Stitches ratio diagram:



Needle Thread consumption

1	291 st.	3.2% (1.0 m)
2	288 st.	3.0% (0.9 m)
3	3224 st.	64.4% (19.4 m)
4	800 st.	14.9% (4.5 m)
5	82 st.	1.1% (0.3 m)
6	205 st.	3.7% (1.1 m)
7	53 st.	0.5% (0.2 m)
8	135 st.	2.3% (0.7 m)
9	287 st.	3.8% (1.1 m)
10	243 st.	3.1% (0.9 m)

Upper thread 30.0 m
Bobbin 10.0 m

File: W4X4.jef (Janome)

Stitches: 5608

Size: 71.5 x 94.7 mm (2.81 x 3.73 ")

Begin: 35.7, 47.3 mm

End: 6.7, 30.0 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(292) Stop 1
(580) Stop 2
(3804) Stop 3
(4604) Stop 4
(4686) Stop 5
(4891) Stop 6
(4944) Stop 7
(5079) Stop 8
(5366) Stop 9
(5608) End

Stitches ratio diagram:



Needle Thread consumption

1	438 st.	3.1% (1.5 m)
2	434 st.	2.9% (1.4 m)
3	5037 st.	62.7% (30.4 m)
4	1232 st.	14.5% (7.0 m)
5	121 st.	1.1% (0.5 m)
6	315 st.	3.6% (1.7 m)
7	75 st.	0.5% (0.2 m)
8	195 st.	2.2% (1.1 m)
9	536 st.	5.1% (2.5 m)
10	462 st.	4.4% (2.1 m)

Upper thread 48.5 m
Bobbin 16.2 m

File: W5X7.jef (Janome)

Stitches: 8845

Size: 111.0 x 147.4 mm (4.37 x 5.80 ")

Begin: 55.5, 73.7 mm

End: 9.5, 47.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(439) Stop 1
(873) Stop 2
(5910) Stop 3
(7142) Stop 4
(7263) Stop 5
(7578) Stop 6
(7653) Stop 7
(7848) Stop 8
(8384) Stop 9
(8845) End

Stitches ratio diagram:



Needle Thread consumption

1	239 st.	3.1% (0.7 m)
2	237 st.	2.9% (0.7 m)
3	2464 st.	61.8% (14.8 m)
4	643 st.	14.4% (3.5 m)
5	80 st.	1.1% (0.3 m)
6	205 st.	4.7% (1.1 m)
7	53 st.	0.6% (0.2 m)
8	135 st.	2.8% (0.7 m)
9	286 st.	4.8% (1.1 m)
10	242 st.	3.8% (0.9 m)

Upper thread 24.0 m
Bobbin 8.0 m

File: X4X4.jef (Janome)

Stitches: 4584

Size: 53.3 x 90.7 mm (2.10 x 3.57 ")

Begin: 26.7, 45.4 mm

End: 5.8, 69.1 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(240) Stop 1
(477) Stop 2
(2941) Stop 3
(3584) Stop 4
(3664) Stop 5
(3869) Stop 6
(3922) Stop 7
(4057) Stop 8
(4343) Stop 9
(4584) End

Stitches ratio diagram:



Needle Thread consumption

1	355 st.	3.0% (1.2 m)
2	352 st.	2.8% (1.1 m)
3	3818 st.	59.5% (23.1 m)
4	994 st.	14.0% (5.4 m)
5	117 st.	1.0% (0.4 m)
6	315 st.	4.5% (1.7 m)
7	75 st.	0.6% (0.2 m)
8	195 st.	2.8% (1.1 m)
9	535 st.	6.3% (2.5 m)
10	456 st.	5.4% (2.1 m)

Upper thread 38.8 m
Bobbin 12.9 m

File: X5X7.jef (Janome)

Stitches: 7212

Size: 81.5 x 140.2 mm (3.21 x 5.52 ")

Begin: 40.8, 70.1 mm

End: 7.9, 107.3 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(356) Stop 1
(708) Stop 2
(4526) Stop 3
(5520) Stop 4
(5637) Stop 5
(5952) Stop 6
(6027) Stop 7
(6222) Stop 8
(6757) Stop 9
(7212) End

Stitches ratio diagram:



Needle Thread consumption

1	206 st.	3.1% (0.7 m)
2	203 st.	2.8% (0.6 m)
3	2128 st.	60.1% (12.8 m)
4	550 st.	13.9% (3.0 m)
5	82 st.	1.5% (0.3 m)
6	205 st.	5.2% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.2% (0.7 m)
9	287 st.	5.4% (1.1 m)
10	242 st.	4.2% (0.9 m)

Upper thread 21.4 m
Bobbin 7.1 m

File: Y4X4.jef (Janome)

Stitches: 4091

Size: 63.3 x 91.1 mm (2.49 x 3.59 ")

Begin: 31.6, 45.5 mm

End: 52.6, 39.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(207) Stop 1
(410) Stop 2
(2538) Stop 3
(3088) Stop 4
(3170) Stop 5
(3375) Stop 6
(3428) Stop 7
(3563) Stop 8
(3850) Stop 9
(4091) End

Stitches ratio diagram:



Needle Thread consumption

1	304 st.	2.9% (1.0 m)
2	299 st.	2.6% (0.9 m)
3	3312 st.	57.7% (20.1 m)
4	822 st.	13.4% (4.7 m)
5	122 st.	1.4% (0.5 m)
6	315 st.	5.0% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.1% (1.1 m)
9	535 st.	7.1% (2.5 m)
10	457 st.	6.0% (2.1 m)

Upper thread 34.7 m
Bobbin 11.6 m

File: Y5X7.jef (Janome)

Stitches: 6436

Size: 98.0 x 140.8 mm (3.86 x 5.54 ")

Begin: 49.0, 70.4 mm

End: 82.3, 60.7 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(305) Stop 1
(604) Stop 2
(3916) Stop 3
(4738) Stop 4
(4860) Stop 5
(5175) Stop 6
(5250) Stop 7
(5445) Stop 8
(5980) Stop 9
(6436) End

Stitches ratio diagram:



Needle Thread consumption

1	204 st.	3.1% (0.7 m)
2	201 st.	2.8% (0.6 m)
3	2181 st.	60.2% (13.2 m)
4	553 st.	14.3% (3.1 m)
5	83 st.	1.5% (0.3 m)
6	205 st.	5.1% (1.1 m)
7	53 st.	0.7% (0.2 m)
8	135 st.	3.1% (0.7 m)
9	288 st.	5.3% (1.2 m)
10	241 st.	4.0% (0.9 m)

Upper thread 22.0 m
Bobbin 7.3 m

File: Z4X4.jef (Janome)

Stitches: 4144

Size: 72.7 x 91.1 mm (2.86 x 3.59 ")

Begin: 36.3, 45.6 mm

End: 29.3, 60.2 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(205) Stop 1
(406) Stop 2
(2587) Stop 3
(3140) Stop 4
(3223) Stop 5
(3428) Stop 6
(3481) Stop 7
(3616) Stop 8
(3904) Stop 9
(4144) End

Stitches ratio diagram:



Needle Thread consumption

1	311 st.	3.0% (1.1 m)
2	306 st.	2.7% (1.0 m)
3	3399 st.	57.8% (20.6 m)
4	851 st.	13.8% (4.9 m)
5	122 st.	1.4% (0.5 m)
6	315 st.	4.9% (1.7 m)
7	75 st.	0.7% (0.2 m)
8	195 st.	3.0% (1.1 m)
9	538 st.	7.0% (2.5 m)
10	454 st.	5.8% (2.0 m)

Upper thread 35.6 m
Bobbin 11.9 m

File: Z5X7.jef (Janome)

Stitches: 6566

Size: 112.7 x 141.7 mm (4.44 x 5.58 ")

Begin: 56.3, 70.8 mm

End: 45.8, 94.4 mm


Start needle: 1

Colors: 7/10 , Stops: 9

Date: 2/18/2022

This area is reserved for your logo. Place logo.bmp file (width: 289 , height: 98 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(312) Stop 1
(618) Stop 2
(4017) Stop 3
(4868) Stop 4
(4990) Stop 5
(5305) Stop 6
(5380) Stop 7
(5575) Stop 8
(6113) Stop 9
(6566) End

Stitches ratio diagram:

