

Needle Thread consumption


1	316 st.	3.9% (0.9 m)
2	327 st.	4.9% (1.2 m)
3	543 st.	7.1% (1.7 m)
4	329 st.	5.4% (1.3 m)
5	1769 st.	37.9% (9.2 m)
6	417 st.	9.1% (2.2 m)
7	750 st.	8.5% (2.1 m)
8	995 st.	14.2% (3.4 m)
9	403 st.	6.7% (1.6 m)
10	151 st.	2.4% (0.6 m)

Upper thread 24.2 m
Bobbin 8.1 m

File: AP1757A_001.jef (Janome)**Stitches: 6000****Size: 78.6 x 97.4 mm (3.09 x 3.83 ")****Begin: 39.3, 48.7 mm****End: 46.2, 52.3 mm****Start needle: 1****Colors: 6/10 , Stops: 9****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(317) Stop 1
(644) Stop 2
(1187) Stop 3
(1516) Stop 4
(3285) Stop 5
(3702) Stop 6
(4452) Stop 7
(5447) Stop 8
(5850) Stop 9
(6000) End



Needle Thread consumption

1	769 st.	9.7% (2.7 m)
2	834 st.	12.6% (3.5 m)
3	738 st.	10.8% (3.0 m)
4	467 st.	6.1% (1.7 m)
5	1527 st.	20.3% (5.6 m)
6	1568 st.	25.3% (7.0 m)
7	159 st.	1.5% (0.4 m)
8	1360 st.	13.7% (3.8 m)


Upper thread
Bobbin

27.7 m
9.2 m

File: AP1757A_002.jef (Janome)**Stitches: 7422****Size: 87.8 x 97.6 mm (3.46 x 3.84 ")****Begin: 43.9, 48.7 mm****End: 43.8, 84.0 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(770) Stop 1
(1604) Stop 2
(2342) Stop 3
(2809) Stop 4
(4336) Stop 5
(5904) Stop 6
(6063) Stop 7
(7422) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	387 st.	10.6% (1.7 m)
2	227 st.	6.1% (1.0 m)
3	351 st.	9.4% (1.5 m)
4	1820 st.	43.5% (7.0 m)
5	571 st.	17.4% (2.8 m)
6	279 st.	7.2% (1.2 m)
7	415 st.	5.9% (0.9 m)

Upper thread	16.1 m
Bobbin	5.4 m

File: AP1757A_003.jef (Janome)**Stitches: 4050****Size: 66.0 x 97.4 mm (2.60 x 3.83 ")****Begin: 33.1, 48.6 mm****End: 34.9, 57.9 mm****Start needle: 1****Colors: 5/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(388)	Stop 1
(615)	Stop 2
(966)	Stop 3
(2786)	Stop 4
(3357)	Stop 5
(3636)	Stop 6
(4050)	End



Needle Thread consumption


1	714 st.	13.4% (3.6 m)
2	503 st.	9.6% (2.5 m)
3	697 st.	9.2% (2.4 m)
4	2523 st.	39.7% (10.6 m)
5	1659 st.	23.5% (6.2 m)
6	373 st.	4.6% (1.2 m)

Upper thread 26.5 m
Bobbin 8.8 m

File: AP1757A_004.jef (Janome)**Stitches: 6469****Size: 84.5 x 97.2 mm (3.33 x 3.83 ")****Begin: 42.3, 48.6 mm****End: 16.3, 65.7 mm****Start needle: 1****Colors: 5/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(715) Stop 1
(1218) Stop 2
(1915) Stop 3
(4438) Stop 4
(6097) Stop 5
(6469) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	213 st.	5.1% (0.9 m)
2	326 st.	7.4% (1.3 m)
3	425 st.	10.2% (1.8 m)
4	1717 st.	35.4% (6.1 m)
5	1449 st.	28.8% (5.0 m)
6	122 st.	1.3% (0.2 m)
7	492 st.	9.0% (1.6 m)
8	181 st.	2.8% (0.5 m)

Upper thread 17.4 m
Bobbin 5.8 m

File: AP1757A_005.jef (Janome)**Stitches: 4925****Size: 66.2 x 97.3 mm (2.61 x 3.83 ")****Begin: 33.1, 48.6 mm****End: 52.8, 51.1 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



(214) Stop 1
(540) Stop 2
(965) Stop 3
(2682) Stop 4
(4131) Stop 5
(4253) Stop 6
(4745) Stop 7
(4925) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	494 st.	10.8% (2.5 m)
2	482 st.	10.2% (2.4 m)
3	361 st.	7.3% (1.7 m)
4	1013 st.	14.0% (3.3 m)
5	1766 st.	30.9% (7.2 m)
6	1203 st.	18.3% (4.3 m)
7	682 st.	8.5% (2.0 m)

Upper thread 23.4 m
Bobbin 7.8 m

File: AP1757A_006.jef (Janome)**Stitches: 6001****Size: 81.0 x 97.2 mm (3.19 x 3.83 ")****Begin: 40.5, 48.6 mm****End: 45.3, 57.0 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



(495) Stop 1
(977) Stop 2
(1338) Stop 3
(2351) Stop 4
(4117) Stop 5
(5320) Stop 6
(6001) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	783 st.	11.6% (2.7 m)
2	852 st.	15.1% (3.5 m)
3	584 st.	9.6% (2.2 m)
4	1325 st.	21.7% (5.0 m)
5	1521 st.	28.2% (6.5 m)
6	316 st.	5.4% (1.3 m)
7	293 st.	4.6% (1.1 m)
8	286 st.	3.8% (0.9 m)

Upper thread 23.2 m
Bobbin 7.7 m

File: AP1757A_007.jef (Janome)**Stitches: 5960****Size: 81.8 x 97.6 mm (3.22 x 3.84 ")****Begin: 41.3, 48.7 mm****End: 27.5, 45.2 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(784) Stop 1
(1636) Stop 2
(2220) Stop 3
(3545) Stop 4
(5066) Stop 5
(5382) Stop 6
(5675) Stop 7
(5960) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption

1	300 st.	3.4% (0.9 m)
2	295 st.	4.2% (1.1 m)
3	539 st.	6.3% (1.6 m)
4	975 st.	13.5% (3.5 m)
5	1679 st.	27.6% (7.1 m)
6	1745 st.	26.0% (6.7 m)
7	280 st.	2.7% (0.7 m)
8	428 st.	7.5% (1.9 m)
9	337 st.	4.5% (1.2 m)
10	423 st.	4.3% (1.1 m)

Upper thread	25.8 m
Bobbin	8.6 m

File: AP1757A_008.jef (Janome)

Stitches: 7001

Size: 81.8 x 97.5 mm (3.22 x 3.84 ")

Begin: 40.9, 48.7 mm

End: 53.7, 0.3 mm


Start needle: 1

Colors: 6/10 , Stops: 9

Date: 01-09-23

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



(301)	Stop 1
(596)	Stop 2
(1135)	Stop 3
(2110)	Stop 4
(3789)	Stop 5
(5534)	Stop 6
(5814)	Stop 7
(6242)	Stop 8
(6579)	Stop 9
(7001)	End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	388 st.	9.4% (1.7 m)
2	213 st.	5.5% (1.0 m)
3	350 st.	8.4% (1.5 m)
4	1364 st.	27.5% (5.0 m)
5	1385 st.	36.2% (6.6 m)
6	300 st.	6.8% (1.2 m)
7	58 st.	0.9% (0.2 m)
8	309 st.	5.3% (1.0 m)

Upper thread 18.2 m
Bobbin 6.1 m

File: AP1757A_009.jef (Janome)**Stitches: 4367****Size: 61.9 x 97.5 mm (2.44 x 3.84 ")****Begin: 30.9, 48.6 mm****End: 30.9, 48.7 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(389) Stop 1
(602) Stop 2
(952) Stop 3
(2316) Stop 4
(3701) Stop 5
(4001) Stop 6
(4059) Stop 7
(4367) End



Needle Thread consumption


1	223 st.	3.1% (0.9 m)
2	297 st.	3.7% (1.1 m)
3	343 st.	5.1% (1.6 m)
4	2545 st.	34.5% (10.6 m)
5	2926 st.	46.5% (14.3 m)
6	627 st.	7.1% (2.2 m)

Upper thread	30.7 m
Bobbin	10.2 m

File: AP1757A_010.jef (Janome)**Stitches: 6961****Size: 84.9 x 97.5 mm (3.34 x 3.84 ")****Begin: 42.4, 48.8 mm****End: 49.2, 1.2 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

Histogram

(224) Stop 1
(521) Stop 2
(864) Stop 3
(3409) Stop 4
(6335) Stop 5
(6961) End



Needle Thread consumption


1	703 st.	15.5% (3.5 m)
2	527 st.	11.8% (2.7 m)
3	1898 st.	35.0% (7.9 m)
4	96 st.	1.9% (0.4 m)
5	1423 st.	23.3% (5.3 m)
6	395 st.	6.7% (1.5 m)
7	402 st.	5.8% (1.3 m)

Upper thread 22.6 m
Bobbin 7.5 m

File: AP1757A_011.jef (Janome)**Stitches: 5444****Size: 78.2 x 97.6 mm (3.08 x 3.84 ")****Begin: 39.1, 48.7 mm****End: 26.3, 55.2 mm****Start needle: 1****Colors: 5/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(704) Stop 1
(1231) Stop 2
(3129) Stop 3
(3225) Stop 4
(4648) Stop 5
(5043) Stop 6
(5444) End



Needle Thread consumption


1 318 st.	3.8% (0.9 m)
2 308 st.	4.7% (1.2 m)
3 343 st.	4.4% (1.1 m)
4 1980 st.	33.2% (8.2 m)
5 2240 st.	40.0% (9.8 m)
6 1083 st.	13.9% (3.4 m)

Upper thread 24.6 m
Bobbin 8.2 m

File: AP1757A_012.jef (Janome)**Stitches: 6272****Size: 97.5 x 81.6 mm (3.84 x 3.21 ")****Begin: 48.7, 40.8 mm****End: 62.5, 34.2 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



(319) Stop 1
(627) Stop 2
(970) Stop 3
(2950) Stop 4
(5190) Stop 5
(6272) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	390 st.	5.6% (1.4 m)
2	884 st.	13.6% (3.5 m)
3	545 st.	7.2% (1.8 m)
4	1003 st.	15.4% (3.9 m)
5	1611 st.	27.3% (6.9 m)
6	1843 st.	25.7% (6.5 m)
7	356 st.	5.1% (1.3 m)

Upper thread 25.4 m
Bobbin 8.5 m

File: AP1757A_013.jef (Janome)**Stitches: 6632****Size: 97.1 x 85.0 mm (3.82 x 3.35 ")****Begin: 48.7, 42.5 mm****End: 76.2, 58.8 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(391) Stop 1
(1275) Stop 2
(1820) Stop 3
(2823) Stop 4
(4434) Stop 5
(6277) Stop 6
(6632) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	635 st.	16.0% (3.2 m)
2	233 st.	5.8% (1.2 m)
3	481 st.	12.1% (2.4 m)
4	1673 st.	28.1% (5.7 m)
5	1183 st.	23.5% (4.8 m)
6	842 st.	13.5% (2.7 m)
7	85 st.	1.1% (0.2 m)

Upper thread	20.2 m
Bobbin	6.7 m

File: AP1757A_014.jef (Janome)**Stitches: 5132****Size: 72.0 x 97.5 mm (2.83 x 3.84 ")****Begin: 36.0, 48.6 mm****End: 43.2, 50.7 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(636)	Stop 1
(869)	Stop 2
(1350)	Stop 3
(3023)	Stop 4
(4206)	Stop 5
(5048)	Stop 6
(5132)	End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	421 st.	3.8% (1.5 m)
2	471 st.	4.9% (1.9 m)
3	759 st.	6.9% (2.7 m)
4	463 st.	5.3% (2.1 m)
5	2731 st.	38.6% (14.9 m)
6	643 st.	9.2% (3.6 m)
7	957 st.	8.2% (3.2 m)
8	1415 st.	14.2% (5.5 m)
9	573 st.	6.7% (2.6 m)
10	188 st.	2.2% (0.8 m)

Upper thread 38.6 m
Bobbin 12.9 m

File: AP1757B_001.jef (Janome)**Stitches: 8621****Size: 100.8 x 125.0 mm (3.97 x 4.92 ")****Begin: 50.4, 62.5 mm****End: 59.4, 67.2 mm****Start needle: 1****Colors: 6/10 , Stops: 9****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(422) Stop 1
(893) Stop 2
(1652) Stop 3
(2115) Stop 4
(4846) Stop 5
(5489) Stop 6
(6446) Stop 7
(7861) Stop 8
(8434) Stop 9
(8621) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	1084 st.	9.5% (4.1 m)
2	1206 st.	12.5% (5.5 m)
3	1060 st.	10.7% (4.7 m)
4	636 st.	6.0% (2.6 m)
5	2196 st.	20.5% (8.9 m)
6	2353 st.	26.0% (11.3 m)
7	218 st.	1.5% (0.6 m)
8	1745 st.	13.3% (5.8 m)

Upper thread 43.5 m
Bobbin 14.5 m

File: AP1757B_002.jef (Janome)**Stitches: 10498****Size: 112.3 x 125.0 mm (4.42 x 4.92 ")****Begin: 56.2, 62.4 mm****End: 56.2, 107.6 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(1085) Stop 1
(2291) Stop 2
(3351) Stop 3
(3987) Stop 4
(6183) Stop 5
(8536) Stop 6
(8754) Stop 7
(10498) End



Needle Thread consumption


1	553 st.	10.2% (2.6 m)
2	335 st.	6.0% (1.5 m)
3	508 st.	9.5% (2.4 m)
4	2662 st.	43.9% (11.2 m)
5	876 st.	17.8% (4.5 m)
6	378 st.	6.9% (1.7 m)
7	544 st.	5.7% (1.5 m)

Upper thread 25.4 m
Bobbin 8.5 m

File: AP1757B_003.jef (Janome)**Stitches: 5856****Size: 84.5 x 124.8 mm (3.33 x 4.91 ")****Begin: 42.3, 62.3 mm****End: 44.9, 74.2 mm****Start needle: 1****Colors: 5/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(554) Stop 1
(889) Stop 2
(1397) Stop 3
(4059) Stop 4
(4935) Stop 5
(5313) Stop 6
(5856) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	1079 st.	13.6% (5.7 m)
2	722 st.	9.4% (3.9 m)
3	983 st.	9.0% (3.8 m)
4	3679 st.	39.9% (16.8 m)
5	2357 st.	23.6% (9.9 m)
6	521 st.	4.5% (1.9 m)

Upper thread	41.9 m
Bobbin	14.0 m

File: AP1757B_004.jef (Janome)**Stitches: 9341****Size: 108.4 x 124.8 mm (4.27 x 4.91 ")****Begin: 54.2, 62.4 mm****End: 21.0, 84.2 mm****Start needle: 1****Colors: 5/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(1080)	Stop 1
(1802)	Stop 2
(2785)	Stop 3
(6464)	Stop 4
(8821)	Stop 5
(9341)	End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	305 st.	5.1% (1.4 m)
2	416 st.	6.8% (1.9 m)
3	616 st.	10.1% (2.7 m)
4	2464 st.	36.1% (9.8 m)
5	2057 st.	29.2% (7.9 m)
6	158 st.	1.2% (0.3 m)
7	640 st.	8.8% (2.4 m)
8	230 st.	2.6% (0.7 m)

Upper thread 27.1 m
Bobbin 9.0 m

File: AP1757B_005.jef (Janome)**Stitches: 6886****Size: 84.8 x 124.7 mm (3.34 x 4.91 ")****Begin: 42.4, 62.3 mm****End: 67.6, 65.6 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(306) Stop 1
(722) Stop 2
(1338) Stop 3
(3802) Stop 4
(5859) Stop 5
(6017) Stop 6
(6657) Stop 7
(6886) End



Needle Thread consumption


1	720 st.	10.6% (3.9 m)
2	752 st.	10.4% (3.8 m)
3	529 st.	7.1% (2.6 m)
4	1451 st.	14.0% (5.2 m)
5	2590 st.	31.3% (11.6 m)
6	1701 st.	18.3% (6.8 m)
7	920 st.	8.3% (3.1 m)

Upper thread 37.0 m
Bobbin 12.3 m

File: AP1757B_006.jef (Janome)**Stitches: 8663****Size: 104.0 x 124.7 mm (4.09 x 4.91 ")****Begin: 52.0, 62.3 mm****End: 58.1, 73.1 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(721) Stop 1
(1473) Stop 2
(2002) Stop 3
(3453) Stop 4
(6043) Stop 5
(7744) Stop 6
(8663) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	1088 st.	11.4% (4.2 m)
2	1219 st.	15.0% (5.5 m)
3	841 st.	9.6% (3.5 m)
4	1906 st.	21.8% (8.0 m)
5	2181 st.	28.4% (10.4 m)
6	473 st.	5.7% (2.1 m)
7	376 st.	4.3% (1.6 m)
8	406 st.	3.8% (1.4 m)

Upper thread 36.7 m
Bobbin 12.2 m

File: AP1757B_007.jef (Janome)**Stitches: 8490****Size: 105.9 x 125.0 mm (4.17 x 4.92 ")****Begin: 52.9, 62.4 mm****End: 35.3, 57.7 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



(1089) Stop 1
(2308) Stop 2
(3149) Stop 3
(5055) Stop 4
(7236) Stop 5
(7709) Stop 6
(8085) Stop 7
(8490) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	407 st.	3.3% (1.3 m)
2	427 st.	4.2% (1.7 m)
3	754 st.	6.1% (2.5 m)
4	1373 st.	13.4% (5.4 m)
5	2501 st.	28.0% (11.4 m)
6	2471 st.	26.2% (10.7 m)
7	354 st.	2.5% (1.0 m)
8	665 st.	7.9% (3.2 m)
9	484 st.	4.5% (1.8 m)
10	540 st.	4.0% (1.6 m)

Upper thread 40.8 m
Bobbin 13.6 m

File: AP1757B_008.jef (Janome)**Stitches: 9976****Size: 104.9 x 125.0 mm (4.13 x 4.92 ")****Begin: 52.4, 62.4 mm****End: 68.7, 0.3 mm****Start needle: 1****Colors: 6/10 , Stops: 9****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(408) Stop 1
(835) Stop 2
(1589) Stop 3
(2962) Stop 4
(5463) Stop 5
(7934) Stop 6
(8288) Stop 7
(8953) Stop 8
(9437) Stop 9
(9976) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.




1	620 st.	9.6% (2.8 m)
2	342 st.	5.6% (1.6 m)
3	532 st.	8.4% (2.4 m)
4	1921 st.	27.2% (7.9 m)
5	2043 st.	36.3% (10.6 m)
6	453 st.	6.8% (2.0 m)
7	79 st.	0.9% (0.3 m)
8	433 st.	5.2% (1.5 m)

Upper thread	29.1 m
Bobbin	9.7 m

File: AP1757B_009.jef (Janome)
Stitches: 6423
Size: 79.4 x 124.9 mm (3.13 x 4.92 ")
Begin: 39.7, 62.3 mm
End: 39.7, 62.4 mm
Start needle: 1
Colors: 6/8 , Stops: 7
Date: 01-09-23

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

```
( 621 ) Stop 1
( 963 ) Stop 2
(1495) Stop 3
(3416) Stop 4
(5459) Stop 5
(5912) Stop 6
(5991) Stop 7
(6423) End
```



Needle Thread consumption


1	327 st.	3.1% (1.5 m)
2	450 st.	3.7% (1.8 m)
3	525 st.	5.0% (2.4 m)
4	3757 st.	34.6% (16.9 m)
5	4411 st.	47.0% (23.0 m)
6	840 st.	6.7% (3.3 m)

Upper thread 49.0 m
Bobbin 16.3 m

File: AP1757B_010.jef (Janome)**Stitches: 10310****Size: 108.7 x 124.9 mm (4.28 x 4.92 ")****Begin: 54.3, 62.5 mm****End: 63.0, 1.5 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(328) Stop 1
(778) Stop 2
(1303) Stop 3
(5060) Stop 4
(9471) Stop 5
(10310) End



Needle Thread consumption


1	1071 st.	15.7% (5.6 m)
2	752 st.	11.4% (4.1 m)
3	2753 st.	35.4% (12.7 m)
4	122 st.	1.9% (0.7 m)
5	2054 st.	23.5% (8.4 m)
6	583 st.	6.4% (2.3 m)
7	556 st.	5.7% (2.0 m)

Upper thread 35.7 m
Bobbin 11.9 m

File: AP1757B_011.jef (Janome)**Stitches: 7891****Size: 100.4 x 125.0 mm (3.95 x 4.92 ")****Begin: 50.2, 62.4 mm****End: 33.3, 70.5 mm****Start needle: 1****Colors: 5/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(1072) Stop 1
(1824) Stop 2
(4577) Stop 3
(4699) Stop 4
(6753) Stop 5
(7336) Stop 6
(7891) End



Needle Thread consumption


1 419 st.	3.7% (1.4 m)
2 433 st.	4.6% (1.8 m)
3 473 st.	4.3% (1.7 m)
4 2890 st.	33.4% (13.0 m)
5 3338 st.	40.4% (15.8 m)
6 1446 st.	13.5% (5.3 m)

Upper thread 39.0 m
Bobbin 13.0 m

File: AP1757B_012.jef (Janome)**Stitches: 8999****Size: 124.8 x 104.5 mm (4.91 x 4.11 ")****Begin: 62.4, 52.3 mm****End: 80.1, 43.9 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(420) Stop 1
(853) Stop 2
(1326) Stop 3
(4216) Stop 4
(7554) Stop 5
(8999) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	559 st.	5.6% (2.3 m)
2	1272 st.	13.4% (5.4 m)
3	764 st.	7.0% (2.8 m)
4	1444 st.	15.4% (6.2 m)
5	2390 st.	27.9% (11.2 m)
6	2612 st.	25.7% (10.3 m)
7	499 st.	5.0% (2.0 m)

Upper thread	40.0 m
Bobbin	13.3 m

File: AP1757B_013.jef (Janome)**Stitches: 9540****Size: 124.6 x 109.1 mm (4.91 x 4.30 ")****Begin: 62.4, 54.6 mm****End: 97.8, 75.5 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(560)	Stop 1
(1832)	Stop 2
(2596)	Stop 3
(4040)	Stop 4
(6430)	Stop 5
(9042)	Stop 6
(9540)	End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	940 st.	15.7% (5.0 m)
2	386 st.	6.1% (1.9 m)
3	781 st.	12.7% (4.1 m)
4	2363 st.	27.8% (8.9 m)
5	1701 st.	23.5% (7.5 m)
6	1169 st.	13.3% (4.3 m)
7	110 st.	1.0% (0.3 m)

Upper thread	32.1 m
Bobbin	10.7 m

File: AP1757B_014.jef (Janome)**Stitches: 7450****Size: 92.4 x 125.0 mm (3.64 x 4.92 ")****Begin: 46.2, 62.4 mm****End: 55.6, 65.1 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(941)	Stop 1
(1327)	Stop 2
(2108)	Stop 3
(4471)	Stop 4
(6172)	Stop 5
(7341)	Stop 6
(7450)	End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	548 st.	3.7% (2.0 m)
2	622 st.	4.9% (2.7 m)
3	979 st.	6.9% (3.8 m)
4	622 st.	5.3% (2.9 m)
5	3780 st.	39.0% (21.3 m)
6	886 st.	9.3% (5.1 m)
7	1150 st.	8.1% (4.4 m)
8	1847 st.	14.1% (7.7 m)
9	764 st.	6.7% (3.6 m)
10	221 st.	2.0% (1.1 m)

Upper thread 54.6 m
Bobbin 18.2 m

File: AP1757C_001.jef (Janome)**Stitches: 11419****Size: 121.0 x 150.0 mm (4.76 x 5.91 ")****Begin: 60.5, 75.0 mm****End: 71.3, 80.7 mm****Start needle: 1****Colors: 6/10 , Stops: 9****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(549) Stop 1
(1171) Stop 2
(2150) Stop 3
(2772) Stop 4
(6552) Stop 5
(7438) Stop 6
(8588) Stop 7
(10435) Stop 8
(11199) Stop 9
(11419) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption

1	1398 st.	9.3% (5.7 m)
2	1606 st.	12.5% (7.6 m)
3	1416 st.	10.8% (6.6 m)
4	846 st.	6.1% (3.7 m)
5	2872 st.	20.6% (12.6 m)
6	3181 st.	26.4% (16.1 m)
7	277 st.	1.4% (0.9 m)
8	2087 st.	12.9% (7.9 m)


Upper thread
Bobbin

60.9 m
20.3 m

File: AP1757C_002.jef (Janome)**Stitches: 13683****Size: 135.2 x 150.0 mm (5.32 x 5.91 ")****Begin: 67.6, 74.9 mm****End: 67.6, 129.1 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	763 st.	10.2% (3.7 m)
2	433 st.	5.8% (2.1 m)
3	720 st.	9.6% (3.4 m)
4	3545 st.	44.1% (15.8 m)
5	1196 st.	18.0% (6.4 m)
6	535 st.	6.8% (2.4 m)
7	639 st.	5.5% (2.0 m)

Upper thread 35.9 m
Bobbin 12.0 m

File: AP1757C_003.jef (Janome)**Stitches: 7831****Size: 101.5 x 149.8 mm (4.00 x 5.90 ")****Begin: 50.8, 74.8 mm****End: 54.0, 89.1 mm****Start needle: 1****Colors: 5/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(764) Stop 1
(1197) Stop 2
(1917) Stop 3
(5462) Stop 4
(6658) Stop 5
(7193) Stop 6
(7831) End



Needle Thread consumption


1	1471 st.	13.6% (8.0 m)
2	986 st.	9.4% (5.5 m)
3	1288 st.	8.9% (5.3 m)
4	4933 st.	40.0% (23.7 m)
5	3056 st.	23.6% (14.0 m)
6	676 st.	4.5% (2.6 m)

Upper thread	59.1 m
Bobbin	19.7 m

File: AP1757C_004.jef (Janome)**Stitches: 12410****Size: 130.0 x 149.8 mm (5.12 x 5.90 ")****Begin: 65.0, 74.9 mm****End: 25.2, 101.1 mm****Start needle: 1****Colors: 5/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(1472)	Stop 1
(2458)	Stop 2
(3746)	Stop 3
(8679)	Stop 4
(11735)	Stop 5
(12410)	End



Needle Thread consumption


1	420 st.	5.1% (1.9 m)
2	562 st.	6.8% (2.6 m)
3	819 st.	10.0% (3.8 m)
4	3216 st.	36.4% (13.8 m)
5	2701 st.	29.4% (11.1 m)
6	189 st.	1.1% (0.4 m)
7	810 st.	8.6% (3.3 m)
8	279 st.	2.6% (1.0 m)

Upper thread 37.8 m
Bobbin 12.6 m

File: AP1757C_005.jef (Janome)**Stitches: 8996****Size: 101.8 x 149.7 mm (4.01 x 5.89 ")****Begin: 50.9, 74.8 mm****End: 81.2, 78.9 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



(421) Stop 1
(983) Stop 2
(1802) Stop 3
(5018) Stop 4
(7719) Stop 5
(7908) Stop 6
(8718) Stop 7
(8996) End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.



Needle Thread consumption


1	988 st.	10.5% (5.5 m)
2	997 st.	10.3% (5.3 m)
3	743 st.	7.3% (3.8 m)
4	1902 st.	14.0% (7.3 m)
5	3468 st.	31.4% (16.3 m)
6	2222 st.	18.3% (9.5 m)
7	1143 st.	8.2% (4.3 m)

Upper thread 52.0 m
Bobbin 17.3 m

File: AP1757C_006.jef (Janome)**Stitches: 11463****Size: 124.8 x 149.7 mm (4.91 x 5.89 ")****Begin: 62.4, 74.8 mm****End: 69.7, 87.8 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(989) Stop 1
(1986) Stop 2
(2729) Stop 3
(4631) Stop 4
(8099) Stop 5
(10321) Stop 6
(11463) End



Needle Thread consumption


1	1405 st.	11.3% (5.8 m)
2	1626 st.	14.9% (7.7 m)
3	1078 st.	9.5% (4.9 m)
4	2519 st.	21.9% (11.3 m)
5	2849 st.	28.7% (14.8 m)
6	643 st.	5.7% (3.0 m)
7	468 st.	4.1% (2.1 m)
8	515 st.	3.9% (2.0 m)

Upper thread 51.4 m
Bobbin 17.1 m

File: AP1757C_007.jef (Janome)**Stitches: 11103****Size: 126.4 x 150.0 mm (4.98 x 5.91 ")****Begin: 63.6, 74.9 mm****End: 42.5, 69.2 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(1406) Stop 1
(3032) Stop 2
(4110) Stop 3
(6629) Stop 4
(9478) Stop 5
(10121) Stop 6
(10589) Stop 7
(11103) End



Needle Thread consumption


1 518 st.	3.2% (1.8 m)
2 554 st.	4.1% (2.4 m)
3 955 st.	6.0% (3.4 m)
4 1794 st.	13.3% (7.6 m)
5 3352 st.	28.3% (16.2 m)
6 3253 st.	26.4% (15.1 m)
7 419 st.	2.4% (1.4 m)
8 890 st.	7.9% (4.5 m)
9 630 st.	4.5% (2.6 m)
10 658 st.	3.9% (2.2 m)

Upper thread	57.3 m
Bobbin	19.1 m


File: AP1757C_008.jef (Janome)**Stitches: 13023****Size: 125.7 x 149.9 mm (4.95 x 5.90 ")****Begin: 62.9, 74.9 mm****End: 82.3, 0.3 mm****Start needle: 1****Colors: 6/10 , Stops: 9****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(519)	Stop 1
(1073)	Stop 2
(2028)	Stop 3
(3822)	Stop 4
(7174)	Stop 5
(10427)	Stop 6
(10846)	Stop 7
(11736)	Stop 8
(12366)	Stop 9
(13023)	End



Needle Thread consumption


1	810 st.	9.4% (3.8 m)
2	424 st.	5.3% (2.2 m)
3	721 st.	8.4% (3.4 m)
4	2544 st.	27.5% (11.2 m)
5	2787 st.	36.7% (15.0 m)
6	586 st.	6.7% (2.7 m)
7	94 st.	0.8% (0.3 m)
8	566 st.	5.2% (2.1 m)

Upper thread 40.7 m
Bobbin 13.6 m

File: AP1757C_009.jef (Janome)**Stitches: 8532****Size: 95.3 x 149.9 mm (3.75 x 5.90 ")****Begin: 47.6, 74.8 mm****End: 47.6, 74.9 mm****Start needle: 1****Colors: 6/8 , Stops: 7****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(811) Stop 1
(1235) Stop 2
(1956) Stop 3
(4500) Stop 4
(7287) Stop 5
(7873) Stop 6
(7967) Stop 7
(8532) End



Needle Thread consumption


1	448 st.	3.0% (2.1 m)
2	555 st.	3.5% (2.4 m)
3	705 st.	4.9% (3.4 m)
4	5025 st.	34.6% (23.9 m)
5	6095 st.	47.4% (32.8 m)
6	1037 st.	6.5% (4.5 m)

Upper thread 69.1 m
Bobbin 23.0 m

File: AP1757C_010.jef (Janome)**Stitches: 13865****Size: 130.7 x 149.9 mm (5.15 x 5.90 ")****Begin: 65.2, 75.0 mm****End: 75.6, 1.8 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(449) Stop 1
(1004) Stop 2
(1709) Stop 3
(6734) Stop 4
(12829) Stop 5
(13865) End



Needle Thread consumption


1	1462 st.	15.7% (7.9 m)
2	1057 st.	11.5% (5.8 m)
3	3725 st.	35.6% (18.0 m)
4	143 st.	1.8% (0.9 m)
5	2698 st.	23.5% (11.9 m)
6	720 st.	6.2% (3.1 m)
7	723 st.	5.7% (2.9 m)

Upper thread 50.5 m
Bobbin 16.8 m

File: AP1757C_011.jef (Janome)**Stitches: 10528****Size: 120.4 x 150.0 mm (4.74 x 5.91 ")****Begin: 60.2, 74.9 mm****End: 40.0, 84.6 mm****Start needle: 1****Colors: 5/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.


**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(1463) Stop 1
(2520) Stop 2
(6245) Stop 3
(6388) Stop 4
(9086) Stop 5
(9806) Stop 6
(10528) End



Needle Thread consumption


1	537 st.	3.6% (2.0 m)
2	575 st.	4.6% (2.5 m)
3	602 st.	4.2% (2.3 m)
4	3876 st.	33.6% (18.5 m)
5	4481 st.	40.6% (22.3 m)
6	1834 st.	13.3% (7.3 m)

Upper thread 54.9 m
Bobbin 18.3 m


File: AP1757C_012.jef (Janome)**Stitches: 11905****Size: 125.3 x 149.9 mm (4.93 x 5.90 ")****Begin: 62.7, 75.0 mm****End: 52.6, 53.8 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(538) Stop 1
(1113) Stop 2
(1715) Stop 3
(5591) Stop 4
(10072) Stop 5
(11905) End



Needle Thread consumption


1	728 st.	5.6% (3.1 m)
2	1698 st.	13.4% (7.6 m)
3	975 st.	6.8% (3.8 m)
4	1909 st.	15.3% (8.6 m)
5	3217 st.	28.2% (15.9 m)
6	3377 st.	25.8% (14.5 m)
7	660 st.	4.9% (2.7 m)

Upper thread	56.3 m
Bobbin	18.8 m

File: AP1757C_013.jef (Janome)**Stitches: 12564****Size: 131.0 x 149.6 mm (5.16 x 5.89 ")****Begin: 65.5, 74.7 mm****End: 90.6, 32.3 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

(729)	Stop 1
(2427)	Stop 2
(3402)	Stop 3
(5311)	Stop 4
(8528)	Stop 5
(11905)	Stop 6
(12564)	End



Needle Thread consumption


1	1287 st.	15.9% (7.1 m)
2	469 st.	5.7% (2.5 m)
3	987 st.	12.2% (5.5 m)
4	3075 st.	28.0% (12.5 m)
5	2267 st.	24.0% (10.7 m)
6	1495 st.	13.2% (5.9 m)
7	142 st.	1.0% (0.5 m)

Upper thread	44.8 m
Bobbin	14.9 m

File: AP1757C_014.jef (Janome)**Stitches: 9722****Size: 110.9 x 150.0 mm (4.37 x 5.91 ")****Begin: 55.4, 74.9 mm****End: 66.8, 78.1 mm****Start needle: 1****Colors: 6/7 , Stops: 6****Date: 01-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(1288)	Stop 1
(1757)	Stop 2
(2744)	Stop 3
(5819)	Stop 4
(8086)	Stop 5
(9581)	Stop 6
(9722)	End

This documentation was created with an unregistered copy of Embird 2017 software.
For more information regarding Embird 2017 please visit web site at <http://www.embird.net>.

