

**Needle Thread consumption**


1	1007 st.	3.6% (3.1 m)
2	655 st.	3.5% (3.1 m)
3	479 st.	1.2% (1.1 m)
4	173 st.	0.4% (0.4 m)
5	4026 st.	15.5% (13.7 m)
6	5757 st.	24.5% (21.7 m)
7	2925 st.	11.7% (10.3 m)
8	1400 st.	4.8% (4.3 m)
9	2641 st.	18.5% (16.4 m)
10	1876 st.	8.4% (7.4 m)
11	705 st.	4.7% (4.2 m)
12	1268 st.	3.1% (2.8 m)

Upper thread 88.5 m  
Bobbin 29.5 m

**File: R11806610.pes (Babylock, Bernina, Brother #PES0040)****Stitches: 22912****Size: 148.2 x 169.2 mm (5.83 x 6.66 ")****Begin: 74.1, 84.6 mm****End: 70.0, 53.7 mm****Start needle: 1****Colors: 9/12, Stops: 11****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721, height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



(1008)	Stop 1
(1663)	Stop 2
(2142)	Stop 3
(2315)	Stop 4
(6341)	Stop 5
(12098)	Stop 6
(15023)	Stop 7
(16423)	Stop 8
(19064)	Stop 9
(20940)	Stop 10
(21645)	Stop 11
(22912)	End





**Needle Thread consumption**


1	739 st.	3.5% (2.2 m)
2	516 st.	3.5% (2.2 m)
3	403 st.	1.3% (0.8 m)
4	151 st.	0.5% (0.3 m)
5	3347 st.	15.6% (10.1 m)
6	4758 st.	24.3% (15.7 m)
7	2468 st.	11.8% (7.6 m)
8	1202 st.	5.5% (3.5 m)
9	1995 st.	17.7% (11.4 m)
10	1550 st.	8.4% (5.4 m)
11	565 st.	4.4% (2.9 m)
12	1090 st.	3.6% (2.3 m)

Upper thread 64.4 m  
Bobbin 21.5 m

**File: R1180657.pes (Babylock, Bernina, Brother #PES0001)****Stitches: 18784****Size: 123.6 x 141.0 mm (4.87 x 5.55 ")****Begin: 61.8, 70.5 mm****End: 58.4, 44.7 mm****Start needle: 1****Colors: 9/12 , Stops: 11****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 740 ) Stop 1  
( 1256 ) Stop 2  
( 1659 ) Stop 3  
( 1810 ) Stop 4  
( 5157 ) Stop 5  
( 9915 ) Stop 6  
( 12383 ) Stop 7  
( 13585 ) Stop 8  
( 15580 ) Stop 9  
( 17130 ) Stop 10  
( 17695 ) Stop 11  
( 18784 ) End



**Needle Thread consumption**


1	382 st.	1.8% (1.1 m)
2	980 st.	6.1% (3.7 m)
3	453 st.	2.2% (1.3 m)
4	1055 st.	6.5% (3.9 m)
5	240 st.	2.9% (1.7 m)
6	1646 st.	18.7% (11.3 m)
7	1046 st.	9.8% (6.0 m)
8	1127 st.	12.2% (7.4 m)
9	1375 st.	5.7% (3.5 m)
10	2862 st.	19.5% (11.9 m)
11	2150 st.	14.6% (8.9 m)

Upper thread 60.7 m  
Bobbin 20.2 m

**File: R11805610.pes (Babylock, Bernina, Brother #PES0040)****Stitches: 13316****Size: 184.2 x 82.5 mm (7.25 x 3.25 ")****Begin: 92.1, 41.3 mm****End: 180.8, 59.9 mm****Start needle: 1****Colors: 11/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 383 ) Stop 1  
( 1363 ) Stop 2  
( 1816 ) Stop 3  
( 2871 ) Stop 4  
( 3111 ) Stop 5  
( 4757 ) Stop 6  
( 5803 ) Stop 7  
( 6930 ) Stop 8  
( 8305 ) Stop 9  
( 11167 ) Stop 10  
( 13316 ) End





**Needle Thread consumption**


1	332 st.	1.9% (0.8 m)
2	793 st.	6.1% (2.7 m)
3	380 st.	2.5% (1.1 m)
4	870 st.	6.4% (2.8 m)
5	187 st.	2.9% (1.3 m)
6	1249 st.	18.1% (7.9 m)
7	868 st.	9.7% (4.2 m)
8	888 st.	11.6% (5.1 m)
9	1205 st.	6.6% (2.9 m)
10	2379 st.	19.6% (8.6 m)
11	1788 st.	14.5% (6.3 m)

Upper thread 43.8 m  
Bobbin 14.6 m

**File: R1180557.pes (Babylock, Bernina, Brother #PES0001)****Stitches: 10939****Size: 68.8 x 153.6 mm (2.71 x 6.05 ")****Begin: 34.4, 76.8 mm****End: 49.9, 2.9 mm****Start needle: 1****Colors: 11/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 333 ) Stop 1  
( 1126 ) Stop 2  
( 1506 ) Stop 3  
( 2376 ) Stop 4  
( 2563 ) Stop 5  
( 3812 ) Stop 6  
( 4680 ) Stop 7  
( 5568 ) Stop 8  
( 6773 ) Stop 9  
( 9152 ) Stop 10  
( 10939 ) End



**Needle Thread consumption**


1	575 st.	7.1% (2.9 m)
2	206 st.	1.9% (0.8 m)
3	4015 st.	31.2% (12.6 m)
4	1406 st.	13.9% (5.6 m)
5	234 st.	2.4% (1.0 m)
6	560 st.	5.4% (2.2 m)
7	86 st.	1.2% (0.5 m)
8	1267 st.	17.7% (7.2 m)
9	581 st.	6.4% (2.6 m)
10	690 st.	9.0% (3.6 m)
11	740 st.	3.9% (1.6 m)

Upper thread 40.6 m  
Bobbin 13.5 m

**File: R1180457...mall (Babylock, Bernina, Brother #PES0001)****Stitches: 10360****Size: 85.6 x 114.0 mm (3.37 x 4.49 ")****Begin: 42.8, 57.0 mm****End: 37.2, 57.6 mm****Start needle: 1****Colors: 10/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 576 ) Stop 1  
( 782 ) Stop 2  
( 4797 ) Stop 3  
( 6203 ) Stop 4  
( 6437 ) Stop 5  
( 6997 ) Stop 6  
( 7083 ) Stop 7  
( 8350 ) Stop 8  
( 8931 ) Stop 9  
( 9621 ) Stop 10  
( 10360 ) End





**Needle Thread consumption**


1	728 st.	7.2% (4.1 m)
2	225 st.	1.6% (0.9 m)
3	4843 st.	30.9% (17.4 m)
4	1733 st.	14.1% (7.9 m)
5	271 st.	2.3% (1.3 m)
6	662 st.	5.4% (3.1 m)
7	98 st.	1.1% (0.6 m)
8	1755 st.	18.4% (10.4 m)
9	737 st.	6.3% (3.5 m)
10	932 st.	9.3% (5.2 m)
11	860 st.	3.4% (1.9 m)

Upper thread 56.3 m  
Bobbin 18.8 m

**File: R1180457...arge (Babylock, Bernina, Brother #PES0001)****Stitches: 12844****Size: 102.8 x 137.0 mm (4.05 x 5.39 ")****Begin: 51.4, 68.5 mm****End: 44.7, 69.3 mm****Start needle: 1****Colors: 10/11 , Stops: 10****Date: 12-09-23**

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.

**Histogram**

Stitches ratio diagram:



( 729 )	Stop 1
( 954 )	Stop 2
( 5797 )	Stop 3
( 7530 )	Stop 4
( 7801 )	Stop 5
( 8463 )	Stop 6
( 8561 )	Stop 7
( 10316 )	Stop 8
( 11053 )	Stop 9
( 11985 )	Stop 10
( 12844 )	End



**Needle Thread consumption**


1	194 st.	2.4% (1.0 m)
2	3598 st.	31.5% (12.5 m)
3	2000 st.	18.5% (7.4 m)
4	302 st.	2.8% (1.1 m)
5	312 st.	2.3% (0.9 m)
6	366 st.	2.9% (1.2 m)
7	702 st.	5.6% (2.2 m)
8	598 st.	4.9% (1.9 m)
9	84 st.	1.3% (0.5 m)
10	1048 st.	13.4% (5.3 m)
11	669 st.	5.9% (2.4 m)
12	380 st.	4.5% (1.8 m)
13	578 st.	3.2% (1.3 m)
14	83 st.	0.8% (0.3 m)

Upper thread 39.8 m  
Bobbin 13.3 m

**File: R1180357.pes (Babylock, Bernina, Brother #PES0001)****Stitches: 10914****Size: 75.6 x 155.8 mm (2.98 x 6.13 ")****Begin: 37.8, 77.9 mm****End: 32.9, 127.9 mm****Start needle: 1****Colors: 13/14 , Stops: 13****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 195 ) Stop 1  
( 3793 ) Stop 2  
( 5793 ) Stop 3  
( 6095 ) Stop 4  
( 6407 ) Stop 5  
( 6773 ) Stop 6  
( 7475 ) Stop 7  
( 8073 ) Stop 8  
( 8157 ) Stop 9  
( 9205 ) Stop 10  
( 9874 ) Stop 11  
( 10254 ) Stop 12  
( 10832 ) Stop 13  
( 10914 ) End





**Needle Thread consumption**


1	634 st.	3.9% (4.1 m)
2	9145 st.	32.1% (34.1 m)
3	2092 st.	8.5% (9.0 m)
4	1151 st.	3.8% (4.0 m)
5	590 st.	1.9% (2.0 m)
6	409 st.	1.2% (1.3 m)
7	1928 st.	9.1% (9.6 m)
8	435 st.	2.6% (2.8 m)
9	79 st.	0.3% (0.3 m)
10	317 st.	1.7% (1.8 m)
11	211 st.	1.4% (1.5 m)
12	1404 st.	8.7% (9.2 m)
13	2465 st.	16.4% (17.4 m)
14	615 st.	1.7% (1.8 m)
15	912 st.	4.0% (4.2 m)
16	755 st.	2.7% (2.9 m)

Upper thread 106.1 m  
Bobbin 35.4 m

**File: R11802610.pes (Babylock, Bernina, Brother #PES0040)****Stitches: 23142****Size: 161.0 x 135.4 mm (6.34 x 5.33 ")****Begin: 80.5, 67.7 mm****End: 65.3, 46.1 mm****Start needle: 1****Colors: 15/16 , Stops: 15****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 635 ) Stop 1  
( 9780 ) Stop 2  
( 11872 ) Stop 3  
( 13023 ) Stop 4  
( 13613 ) Stop 5  
( 14022 ) Stop 6  
( 15950 ) Stop 7  
( 16385 ) Stop 8  
( 16464 ) Stop 9  
( 16781 ) Stop 10  
( 16992 ) Stop 11  
( 18396 ) Stop 12  
( 20861 ) Stop 13  
( 21476 ) Stop 14  
( 22388 ) Stop 15  
( 23142 ) End





**Needle Thread consumption**


1	523 st.	3.8% (2.9 m)
2	7578 st.	32.1% (24.7 m)
3	1734 st.	8.5% (6.5 m)
4	1007 st.	4.3% (3.3 m)
5	483 st.	2.0% (1.5 m)
6	344 st.	1.2% (1.0 m)
7	1619 st.	8.9% (6.9 m)
8	368 st.	2.7% (2.1 m)
9	74 st.	0.3% (0.3 m)
10	268 st.	1.8% (1.4 m)
11	162 st.	1.4% (1.1 m)
12	1128 st.	8.1% (6.3 m)
13	1860 st.	15.7% (12.1 m)
14	539 st.	1.9% (1.5 m)
15	765 st.	4.1% (3.1 m)
16	637 st.	3.1% (2.4 m)

Upper thread 76.9 m  
Bobbin 25.6 m

**File: R1180257.pes (Babylock, Bernina, Brother #PES0001)****Stitches: 19089****Size: 112.8 x 134.0 mm (4.44 x 5.28 ")****Begin: 56.4, 67.0 mm****End: 38.4, 79.7 mm****Start needle: 1****Colors: 15/16 , Stops: 15****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 524 ) Stop 1  
( 8102 ) Stop 2  
( 9836 ) Stop 3  
( 10843 ) Stop 4  
( 11326 ) Stop 5  
( 11670 ) Stop 6  
( 13289 ) Stop 7  
( 13657 ) Stop 8  
( 13731 ) Stop 9  
( 13999 ) Stop 10  
( 14161 ) Stop 11  
( 15289 ) Stop 12  
( 17149 ) Stop 13  
( 17688 ) Stop 14  
( 18453 ) Stop 15  
( 19089 ) End



**Needle Thread consumption**


1	703 st.	3.2% (3.1 m)
2	5250 st.	18.5% (18.0 m)
3	9268 st.	30.4% (29.7 m)
4	2152 st.	7.7% (7.5 m)
5	1273 st.	7.0% (6.8 m)
6	912 st.	4.0% (3.9 m)
7	317 st.	2.1% (2.0 m)
8	819 st.	1.8% (1.8 m)
9	1380 st.	4.8% (4.7 m)
10	3712 st.	10.8% (10.5 m)
11	2420 st.	9.7% (9.5 m)

Upper thread 97.5 m  
Bobbin 32.5 m

**File: R11801610.pes (Babylock, Bernina, Brother #PES0040)****Stitches: 28206****Size: 206.1 x 141.6 mm (8.11 x 5.57 ")****Begin: 103.0, 70.8 mm****End: 1.2, 48.5 mm****Start needle: 1****Colors: 9/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 704 ) Stop 1  
( 5954 ) Stop 2  
( 15222 ) Stop 3  
( 17374 ) Stop 4  
( 18647 ) Stop 5  
( 19559 ) Stop 6  
( 19876 ) Stop 7  
( 20695 ) Stop 8  
( 22075 ) Stop 9  
( 25787 ) Stop 10  
( 28206 ) End





**Needle Thread consumption**


1	595 st.	3.3% (2.3 m)
2	4256 st.	18.2% (13.0 m)
3	7529 st.	30.2% (21.5 m)
4	1849 st.	8.8% (6.3 m)
5	994 st.	6.7% (4.8 m)
6	722 st.	4.2% (3.0 m)
7	257 st.	2.0% (1.4 m)
8	715 st.	2.1% (1.5 m)
9	1151 st.	4.8% (3.4 m)
10	2365 st.	10.2% (7.3 m)
11	2016 st.	9.6% (6.9 m)

Upper thread 71.4 m  
Bobbin 23.8 m

**File: R1180157.pes (Babylock, Bernina, Brother #PES0001)****Stitches: 22449****Size: 118.0 x 171.8 mm (4.65 x 6.76 ")****Begin: 59.0, 85.9 mm****End: 40.5, 170.8 mm****Start needle: 1****Colors: 9/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 596 ) Stop 1  
( 4852 ) Stop 2  
( 12381 ) Stop 3  
( 14230 ) Stop 4  
( 15224 ) Stop 5  
( 15946 ) Stop 6  
( 16203 ) Stop 7  
( 16918 ) Stop 8  
( 18069 ) Stop 9  
( 20434 ) Stop 10  
( 22449 ) End

