

## Needle Thread consumption

1	305 st.	16.3% (1.1 m)
2	281 st.	14.7% (0.9 m)
3	74 st.	2.9% (0.2 m)
4	85 st.	3.8% (0.2 m)
5	131 st.	6.8% (0.4 m)
6	112 st.	4.9% (0.3 m)
7	412 st.	18.0% (1.2 m)
8	545 st.	20.6% (1.3 m)
9	207 st.	9.7% (0.6 m)
10	61 st.	2.5% (0.2 m)

Upper thread 6.5 m  
Bobbin 2.2 m

File: FQ636\_48.vp3 (Pfaff)

Stitches: 2213

Size: 30.4 x 28.0 mm (1.20 x 1.10 ")

Begin: 15.2, 14.0 mm

End: 4.9, 9.4 mm


Start needle: 1

Colors: 10/10 , Stops: 9

Date: 12-09-23

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.




## Histogram

Stitches ratio diagram:




( 306 ) Stop 1  
( 587 ) Stop 2  
( 661 ) Stop 3  
( 746 ) Stop 4  
( 877 ) Stop 5  
( 989 ) Stop 6  
( 1401 ) Stop 7  
( 1946 ) Stop 8  
( 2153 ) Stop 9  
( 2213 ) End



**Needle Thread consumption**

1	10935 st.	27.1% (39.1 m)
2	2654 st.	5.7% (8.2 m)
3	5883 st.	11.3% (16.4 m)
4	5160 st.	9.9% (14.3 m)
5	3980 st.	9.4% (13.6 m)
6	1385 st.	3.6% (5.1 m)
7	3968 st.	9.1% (13.1 m)
8	3852 st.	7.0% (10.2 m)
9	878 st.	2.4% (3.5 m)
10	590 st.	1.5% (2.1 m)
11	302 st.	0.7% (1.0 m)
12	292 st.	0.8% (1.2 m)
13	265 st.	0.7% (1.0 m)
14	239 st.	0.6% (0.9 m)
15	1829 st.	3.3% (4.7 m)
16	2480 st.	4.3% (6.2 m)
17	917 st.	2.0% (3.0 m)
18	237 st.	0.7% (1.0 m)

Upper thread 144.4 m  
Bobbin 48.1 m

**File: FQ635\_48.vp3 (Pfaff)****Stitches: 45846****Size: 137.0 x 204.4 mm (5.39 x 8.05 ")****Begin: 68.5, 102.2 mm****End: 88.5, 9.4 mm****Start needle: 1****Colors: 17/18 , Stops: 17****Date: 12-09-23**

Stitches ratio diagram:




This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

(10936) Stop 1  
(13590) Stop 2  
(19473) Stop 3  
(24633) Stop 4  
(28613) Stop 5  
(29998) Stop 6  
(33966) Stop 7  
(37818) Stop 8  
(38696) Stop 9  
(39286) Stop 10  
(39588) Stop 11  
(39880) Stop 12  
(40145) Stop 13  
(40384) Stop 14  
(42213) Stop 15  
(44693) Stop 16  
(45610) Stop 17  
(45846) End



**Needle Thread consumption**

1	923 st.	26.4% (3.0 m)
2	192 st.	5.3% (0.6 m)
3	374 st.	9.4% (1.1 m)
4	514 st.	12.0% (1.4 m)
5	575 st.	16.2% (1.8 m)
6	178 st.	5.4% (0.6 m)
7	530 st.	15.0% (1.7 m)
8	478 st.	10.2% (1.2 m)


Upper thread  
Bobbin

11.4 m  
3.8 m

**File: FQ634\_48.vp3 (Pfaff)****Stitches: 3764****Size: 65.6 x 29.2 mm (2.58 x 1.15 ")****Begin: 32.8, 14.6 mm****End: 32.6, 17.6 mm****Start needle: 1****Colors: 8/8 , Stops: 7****Date: 12-09-23**

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.



Stitches ratio diagram:

**Histogram**

( 924 ) Stop 1  
( 1116 ) Stop 2  
( 1490 ) Stop 3  
( 2004 ) Stop 4  
( 2579 ) Stop 5  
( 2757 ) Stop 6  
( 3287 ) Stop 7  
( 3764 ) End





**Needle Thread consumption**


1	1770 st.	28.7% (6.5 m)
2	442 st.	6.2% (1.4 m)
3	854 st.	11.2% (2.5 m)
4	749 st.	9.1% (2.1 m)
5	786 st.	11.5% (2.6 m)
6	198 st.	3.0% (0.7 m)
7	556 st.	7.7% (1.7 m)
8	551 st.	6.2% (1.4 m)
9	119 st.	1.8% (0.4 m)
10	29 st.	0.4% (0.1 m)
11	65 st.	0.7% (0.2 m)
12	35 st.	0.4% (0.1 m)
13	408 st.	4.5% (1.0 m)
14	574 st.	5.7% (1.3 m)
15	192 st.	2.6% (0.6 m)
16	34 st.	0.4% (0.1 m)

Upper thread 22.6 m  
Bobbin 7.5 m

**File: FQ633\_48.vp3 (Pfaff)****Stitches: 7362****Size: 57.8 x 71.0 mm (2.28 x 2.80 ")****Begin: 28.9, 35.5 mm****End: 34.0, 32.0 mm****Start needle: 1****Colors: 15/16 , Stops: 15****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Stitches ratio diagram:

**Histogram**

(1771) Stop 1  
(2213) Stop 2  
(3067) Stop 3  
(3816) Stop 4  
(4602) Stop 5  
(4800) Stop 6  
(5356) Stop 7  
(5907) Stop 8  
(6026) Stop 9  
(6055) Stop 10  
(6120) Stop 11  
(6155) Stop 12  
(6563) Stop 13  
(7137) Stop 14  
(7329) Stop 15  
(7362) End



## Needle Thread consumption

1	2673 st.	28.3% (9.5 m)
2	717 st.	6.4% (2.1 m)
3	1303 st.	10.9% (3.7 m)
4	1167 st.	9.3% (3.1 m)
5	942 st.	9.6% (3.2 m)
6	289 st.	3.1% (1.0 m)
7	1266 st.	11.6% (3.9 m)
8	1050 st.	8.2% (2.8 m)
9	105 st.	1.1% (0.4 m)
10	28 st.	0.3% (0.1 m)
11	71 st.	0.5% (0.2 m)
12	35 st.	0.3% (0.1 m)
13	507 st.	3.4% (1.1 m)
14	642 st.	4.5% (1.5 m)
15	256 st.	2.2% (0.7 m)
16	68 st.	0.5% (0.2 m)

Upper thread 33.7 m  
Bobbin 11.2 m

File: FQ632\_48.vp3 (Pfaff)

Stitches: 11119

Size: 79.1 x 79.2 mm (3.11 x 3.12 ")

Begin: 39.6, 39.6 mm

End: 33.0, 32.5 mm


Start needle: 1

Colors: 15/16 , Stops: 15

Date: 12-09-23

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.




Stitches ratio diagram:



## Histogram

( 2674 ) Stop 1  
( 3391 ) Stop 2  
( 4694 ) Stop 3  
( 5861 ) Stop 4  
( 6803 ) Stop 5  
( 7092 ) Stop 6  
( 8358 ) Stop 7  
( 9408 ) Stop 8  
( 9513 ) Stop 9  
( 9541 ) Stop 10  
( 9612 ) Stop 11  
( 9647 ) Stop 12  
( 10154 ) Stop 13  
( 10796 ) Stop 14  
( 11052 ) Stop 15  
( 11119 ) End






**Needle Thread consumption**

1	5458 st.	30.6% (19.9 m)
2	1243 st.	5.9% (3.8 m)
3	3245 st.	13.6% (8.8 m)
4	2666 st.	11.6% (7.6 m)
5	1651 st.	8.9% (5.8 m)
6	637 st.	3.8% (2.5 m)
7	1612 st.	8.5% (5.5 m)
8	1749 st.	7.1% (4.6 m)
9	320 st.	1.8% (1.2 m)
10	210 st.	1.0% (0.6 m)
11	119 st.	0.5% (0.4 m)
12	121 st.	0.5% (0.4 m)
13	78 st.	0.3% (0.2 m)
14	101 st.	0.4% (0.3 m)
15	470 st.	1.7% (1.1 m)
16	691 st.	2.5% (1.6 m)
17	253 st.	1.1% (0.7 m)
18	49 st.	0.2% (0.1 m)

Upper thread 65.0 m  
Bobbin 21.7 m

**File: FQ631\_48.vp3 (Pfaff)****Stitches: 20673****Size: 94.4 x 138.8 mm (3.72 x 5.46 ")****Begin: 47.2, 69.4 mm****End: 85.6, 77.2 mm****Start needle: 1****Colors: 17/18 , Stops: 17****Date: 12-09-23**

Stitches ratio diagram:




This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

( 5459 ) Stop 1  
( 6702 ) Stop 2  
( 9947 ) Stop 3  
( 12613 ) Stop 4  
( 14264 ) Stop 5  
( 14901 ) Stop 6  
( 16513 ) Stop 7  
( 18262 ) Stop 8  
( 18582 ) Stop 9  
( 18792 ) Stop 10  
( 18911 ) Stop 11  
( 19032 ) Stop 12  
( 19110 ) Stop 13  
( 19211 ) Stop 14  
( 19681 ) Stop 15  
( 20372 ) Stop 16  
( 20625 ) Stop 17  
( 20673 ) End



**Needle Thread consumption**


1	2426 st.	15.8% (6.5 m)
2	1312 st.	11.9% (4.9 m)
3	301 st.	2.5% (1.0 m)
4	1108 st.	7.5% (3.1 m)
5	70 st.	0.7% (0.3 m)
6	586 st.	3.3% (1.4 m)
7	904 st.	5.8% (2.4 m)
8	31 st.	0.3% (0.1 m)
9	596 st.	2.4% (1.0 m)
10	2460 st.	22.2% (9.2 m)
11	836 st.	7.2% (3.0 m)
12	962 st.	7.4% (3.1 m)
13	690 st.	4.9% (2.0 m)
14	1438 st.	7.9% (3.3 m)

Upper thread 41.2 m  
Bobbin 13.7 m

**File: FQ630\_48.vp3 (Pfaff)****Stitches: 13720****Size: 93.2 x 89.0 mm (3.67 x 3.50 ")****Begin: 46.6, 44.5 mm****End: 43.7, 19.6 mm****Start needle: 1****Colors: 13/14 , Stops: 13****Date: 12-09-23**

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.

**Histogram**

Stitches ratio diagram:



( 2427 ) Stop 1  
( 3739 ) Stop 2  
( 4040 ) Stop 3  
( 5148 ) Stop 4  
( 5218 ) Stop 5  
( 5804 ) Stop 6  
( 6708 ) Stop 7  
( 6739 ) Stop 8  
( 7335 ) Stop 9  
( 9795 ) Stop 10  
( 10631 ) Stop 11  
( 11593 ) Stop 12  
( 12283 ) Stop 13  
( 13720 ) End





## Needle Thread consumption

1	1959 st.	10.1% (4.7 m)
2	1996 st.	14.7% (6.8 m)
3	543 st.	3.6% (1.7 m)
4	1628 st.	9.5% (4.4 m)
5	113 st.	0.9% (0.4 m)
6	1282 st.	5.6% (2.6 m)
7	976 st.	5.7% (2.6 m)
8	789 st.	2.8% (1.3 m)
9	45 st.	0.5% (0.2 m)
10	940 st.	7.1% (3.3 m)
11	2154 st.	19.1% (8.9 m)
12	523 st.	4.3% (2.0 m)
13	1121 st.	8.1% (3.8 m)
14	1427 st.	8.1% (3.8 m)

Upper thread 46.5 m  
Bobbin 15.5 m

File: FQ629\_48.vp3 (Pfaff)

Stitches: 15496

Size: 95.0 x 96.4 mm (3.74 x 3.80 ")

Begin: 47.5, 48.2 mm

End: 50.3, 40.5 mm


Start needle: 1

Colors: 14/14 , Stops: 13

Date: 12-09-23

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.



## Histogram

Stitches ratio diagram:



(1960) Stop 1  
(3956) Stop 2  
(4499) Stop 3  
(6127) Stop 4  
(6240) Stop 5  
(7522) Stop 6  
(8498) Stop 7  
(9287) Stop 8  
(9332) Stop 9  
(10272) Stop 10  
(12426) Stop 11  
(12949) Stop 12  
(14070) Stop 13  
(15496) End





**Needle Thread consumption**


1	2702 st.	8.7% (6.7 m)
2	2544 st.	8.4% (6.4 m)
3	2580 st.	12.7% (9.8 m)
4	713 st.	3.1% (2.4 m)
5	2087 st.	8.3% (6.4 m)
6	147 st.	0.8% (0.6 m)
7	1520 st.	4.3% (3.3 m)
8	2951 st.	19.0% (14.6 m)
9	1430 st.	8.5% (6.6 m)
10	587 st.	3.3% (2.5 m)
11	461 st.	2.3% (1.8 m)
12	1362 st.	5.2% (4.0 m)
13	2114 st.	7.6% (5.8 m)
14	365 st.	1.8% (1.4 m)
15	394 st.	1.8% (1.4 m)
16	92 st.	0.5% (0.4 m)
17	1765 st.	3.9% (3.0 m)

Upper thread 77.1 m  
Bobbin 25.7 m

**File: FQ628\_48.vp3 (Pfaff)****Stitches: 23814****Size: 125.6 x 129.4 mm (4.94 x 5.09 ")****Begin: 62.8, 64.7 mm****End: 99.9, 73.0 mm****Start needle: 1****Colors: 16/17 , Stops: 16****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 2703 ) Stop 1  
( 5247 ) Stop 2  
( 7827 ) Stop 3  
( 8540 ) Stop 4  
( 10627 ) Stop 5  
( 10774 ) Stop 6  
( 12294 ) Stop 7  
( 15245 ) Stop 8  
( 16675 ) Stop 9  
( 17262 ) Stop 10  
( 17723 ) Stop 11  
( 19085 ) Stop 12  
( 21199 ) Stop 13  
( 21564 ) Stop 14  
( 21958 ) Stop 15  
( 22050 ) Stop 16  
( 23814 ) End



**Needle Thread consumption**


1	2262 st.	22.3% (5.2 m)
2	2332 st.	30.7% (7.1 m)
3	556 st.	6.7% (1.5 m)
4	1341 st.	14.7% (3.4 m)
5	154 st.	2.4% (0.5 m)
6	1238 st.	10.8% (2.5 m)
7	765 st.	7.8% (1.8 m)
8	559 st.	4.0% (0.9 m)
9	53 st.	0.7% (0.2 m)

Upper thread 23.2 m  
Bobbin 7.7 m

**File: FQ627\_48.vp3 (Pfaff)****Stitches: 9260****Size: 84.0 x 82.4 mm (3.31 x 3.24 ")****Begin: 42.0, 41.2 mm****End: 18.2, 39.3 mm****Start needle: 1****Colors: 9/9 , Stops: 8****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 2263 ) Stop 1  
( 4595 ) Stop 2  
( 5151 ) Stop 3  
( 6492 ) Stop 4  
( 6646 ) Stop 5  
( 7884 ) Stop 6  
( 8649 ) Stop 7  
( 9208 ) Stop 8  
( 9260 ) End





**Needle Thread consumption**


1	1368 st.	16.5% (3.1 m)
2	1840 st.	39.3% (7.5 m)
3	437 st.	7.7% (1.5 m)
4	1110 st.	17.9% (3.4 m)
5	165 st.	2.8% (0.5 m)
6	809 st.	10.1% (1.9 m)
7	256 st.	3.7% (0.7 m)
8	33 st.	0.5% (0.1 m)
9	212 st.	1.5% (0.3 m)

Upper thread	19.0 m
Bobbin	6.3 m

**File: FQ626\_48.vp3 (Pfaff)****Stitches: 6230****Size: 65.6 x 52.0 mm (2.58 x 2.05 ")****Begin: 32.8, 26.0 mm****End: 33.1, 24.3 mm****Start needle: 1****Colors: 9/9 , Stops: 8****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 1369 )	Stop 1
( 3209 )	Stop 2
( 3646 )	Stop 3
( 4756 )	Stop 4
( 4921 )	Stop 5
( 5730 )	Stop 6
( 5986 )	Stop 7
( 6019 )	Stop 8
( 6230 )	End



## Needle Thread consumption

1	638 st.	29.6% (2.2 m)
2	693 st.	28.1% (2.1 m)
3	216 st.	8.9% (0.7 m)
4	341 st.	12.1% (0.9 m)
5	230 st.	8.2% (0.6 m)
6	170 st.	8.7% (0.6 m)
7	114 st.	4.5% (0.3 m)

Upper thread	7.4 m
Bobbin	2.5 m

File: FQ625\_48.vp3 (Pfaff)

Stitches: 2402

Size: 44.0 x 57.4 mm (1.73 x 2.26 ")

Begin: 22.0, 28.7 mm

End: 19.6, 15.4 mm


Start needle: 1

Colors: 7/7 , Stops: 6

Date: 12-09-23

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.



## Histogram

Stitches ratio diagram:



( 639 )	Stop 1
( 1332 )	Stop 2
( 1548 )	Stop 3
( 1889 )	Stop 4
( 2119 )	Stop 5
( 2289 )	Stop 6
( 2402 )	End





**Needle Thread consumption**


1	1229 st.	26.1% (3.5 m)
2	812 st.	18.0% (2.4 m)
3	416 st.	9.9% (1.3 m)
4	411 st.	8.0% (1.1 m)
5	191 st.	4.8% (0.6 m)
6	107 st.	2.6% (0.3 m)
7	189 st.	7.9% (1.0 m)
8	920 st.	19.4% (2.6 m)
9	210 st.	3.2% (0.4 m)

Upper thread 13.2 m  
Bobbin 4.4 m

**File: FQ624\_48.vp3 (Pfaff)****Stitches: 4485****Size: 64.5 x 144.2 mm (2.54 x 5.68 ")****Begin: 32.2, 72.1 mm****End: 7.7, 54.5 mm****Start needle: 1****Colors: 9/9 , Stops: 8****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:




(1230) Stop 1  
(2042) Stop 2  
(2458) Stop 3  
(2869) Stop 4  
(3060) Stop 5  
(3167) Stop 6  
(3356) Stop 7  
(4276) Stop 8  
(4485) End



**Needle Thread consumption**

1	305 st.	1.5% (1.0 m)
2	3599 st.	18.0% (12.3 m)
3	707 st.	3.2% (2.2 m)
4	772 st.	3.1% (2.1 m)
5	924 st.	3.4% (2.3 m)
6	3945 st.	24.3% (16.6 m)
7	1141 st.	5.6% (3.8 m)
8	1261 st.	4.7% (3.2 m)
9	600 st.	3.7% (2.6 m)
10	127 st.	0.6% (0.4 m)
11	167 st.	0.7% (0.5 m)
12	393 st.	0.9% (0.6 m)
13	539 st.	2.3% (1.6 m)
14	126 st.	0.5% (0.3 m)
15	83 st.	0.3% (0.2 m)
16	510 st.	2.2% (1.5 m)
17	517 st.	1.6% (1.1 m)
18	1615 st.	10.5% (7.1 m)
19	1381 st.	6.3% (4.3 m)
20	659 st.	2.9% (2.0 m)
21	760 st.	3.6% (2.5 m)

Upper thread 68.1 m  
Bobbin 22.7 m

**File: FQ623\_48.vp3 (Pfaff)****Stitches: 20131****Size: 115.6 x 121.4 mm (4.55 x 4.78 ")****Begin: 57.8, 60.7 mm****End: 99.3, 64.3 mm****Start needle: 1****Colors: 19/21 , Stops: 20****Date: 12-09-23**

Stitches ratio diagram:

**Histogram**

( 306 ) Stop 1  
( 3905 ) Stop 2  
( 4612 ) Stop 3  
( 5384 ) Stop 4  
( 6308 ) Stop 5  
( 10253 ) Stop 6  
( 11394 ) Stop 7  
( 12655 ) Stop 8  
( 13255 ) Stop 9  
( 13382 ) Stop 10  
( 13549 ) Stop 11  
( 13942 ) Stop 12  
( 14481 ) Stop 13  
( 14607 ) Stop 14  
( 14690 ) Stop 15  
( 15200 ) Stop 16  
( 15717 ) Stop 17  
( 17332 ) Stop 18  
( 18713 ) Stop 19  
( 19372 ) Stop 20  
( 20131 ) End

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.





**Needle Thread consumption**


1	621 st.	3.9% (1.5 m)
2	1160 st.	6.1% (2.4 m)
3	1240 st.	6.7% (2.6 m)
4	2210 st.	10.8% (4.3 m)
5	1019 st.	6.3% (2.5 m)
6	1996 st.	9.9% (3.9 m)
7	1435 st.	7.1% (2.8 m)
8	1540 st.	8.4% (3.3 m)
9	1163 st.	6.7% (2.7 m)
10	1105 st.	5.7% (2.3 m)
11	2344 st.	28.4% (11.2 m)

Upper thread 39.6 m  
Bobbin 13.2 m

**File: FQ622\_48.vp3 (Pfaff)****Stitches: 15833****Size: 165.4 x 316.2 mm (6.51 x 12.45 ")****Begin: 82.7, 158.1 mm****End: 145.6, 298.2 mm****Start needle: 1****Colors: 11/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 622 ) Stop 1  
( 1782 ) Stop 2  
( 3022 ) Stop 3  
( 5232 ) Stop 4  
( 6251 ) Stop 5  
( 8247 ) Stop 6  
( 9682 ) Stop 7  
( 11222 ) Stop 8  
( 12385 ) Stop 9  
( 13490 ) Stop 10  
( 15833 ) End



## Needle Thread consumption

1	525 st.	6.3% (2.5 m)
2	2518 st.	23.6% (9.4 m)
3	472 st.	3.8% (1.5 m)
4	1267 st.	10.2% (4.1 m)
5	1618 st.	9.8% (3.9 m)
6	1508 st.	8.2% (3.3 m)
7	772 st.	6.8% (2.7 m)
8	1300 st.	9.0% (3.6 m)
9	395 st.	1.8% (0.7 m)
10	566 st.	3.3% (1.3 m)
11	444 st.	3.2% (1.3 m)
12	186 st.	1.2% (0.5 m)
13	786 st.	4.5% (1.8 m)
14	486 st.	2.6% (1.0 m)
15	135 st.	0.5% (0.2 m)
16	675 st.	5.1% (2.0 m)

Upper thread 40.0 m  
Bobbin 13.3 m

File: FQ621\_48.vp3 (Pfaff)

Stitches: 13653

Size: 123.4 x 81.6 mm (4.86 x 3.21 ")

Begin: 61.7, 40.8 mm

End: 11.5, 38.8 mm


Start needle: 1

Colors: 15/16, Stops: 15

Date: 12-09-23

This area is reserved for  
your logo. Place logo.bmp  
file (width: 721 , height: 237 pixels)  
in the same folder as  
embird.exe file.

This area is reserved for  
your address information.  
Place address.txt text file  
containing your address in the  
same folder as embird.exe  
file.



## Histogram

Stitches ratio diagram:



( 526 )	Stop 1
( 3044 )	Stop 2
( 3516 )	Stop 3
( 4783 )	Stop 4
( 6401 )	Stop 5
( 7909 )	Stop 6
( 8681 )	Stop 7
( 9981 )	Stop 8
( 10376 )	Stop 9
( 10942 )	Stop 10
( 11386 )	Stop 11
( 11572 )	Stop 12
( 12358 )	Stop 13
( 12844 )	Stop 14
( 12979 )	Stop 15
( 13653 )	End





**Needle Thread consumption**


1	415 st.	9.5% (2.0 m)
2	513 st.	9.1% (1.9 m)
3	647 st.	9.9% (2.1 m)
4	1134 st.	20.9% (4.3 m)
5	689 st.	10.2% (2.1 m)
6	145 st.	2.3% (0.5 m)
7	747 st.	7.7% (1.6 m)
8	380 st.	5.8% (1.2 m)
9	163 st.	2.0% (0.4 m)
10	777 st.	8.8% (1.8 m)
11	442 st.	4.3% (0.9 m)
12	129 st.	0.9% (0.2 m)
13	551 st.	8.5% (1.8 m)

Upper thread 20.8 m  
Bobbin 6.9 m

**File: FQ620\_48.vp3 (Pfaff)****Stitches: 6732****Size: 74.4 x 72.8 mm (2.93 x 2.87 ")****Begin: 37.2, 36.4 mm****End: 41.3, 21.9 mm****Start needle: 1****Colors: 13/13 , Stops: 12****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 416 ) Stop 1  
( 929 ) Stop 2  
( 1576 ) Stop 3  
( 2710 ) Stop 4  
( 3399 ) Stop 5  
( 3544 ) Stop 6  
( 4291 ) Stop 7  
( 4671 ) Stop 8  
( 4834 ) Stop 9  
( 5611 ) Stop 10  
( 6053 ) Stop 11  
( 6182 ) Stop 12  
( 6732 ) End



**Needle Thread consumption**


1	335 st.	13.2% (1.6 m)
2	1086 st.	41.8% (4.9 m)
3	293 st.	9.4% (1.1 m)
4	442 st.	14.0% (1.6 m)
5	284 st.	7.5% (0.9 m)
6	674 st.	14.1% (1.6 m)

Upper thread 11.7 m  
Bobbin 3.9 m

**File: FQ619\_48.vp3 (Pfaff)****Stitches: 3114****Size: 74.0 x 41.8 mm (2.91 x 1.65 ")****Begin: 37.0, 20.9 mm****End: 36.2, 16.5 mm****Start needle: 1****Colors: 6/6 , Stops: 5****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



( 336 ) Stop 1  
( 1422 ) Stop 2  
( 1715 ) Stop 3  
( 2157 ) Stop 4  
( 2441 ) Stop 5  
( 3114 ) End





**Needle Thread consumption**


1	659 st.	14.9% (2.4 m)
2	507 st.	12.3% (1.9 m)
3	1265 st.	27.8% (4.4 m)
4	534 st.	11.5% (1.8 m)
5	879 st.	13.3% (2.1 m)
6	231 st.	7.1% (1.1 m)
7	198 st.	3.5% (0.5 m)
8	62 st.	1.1% (0.2 m)
9	393 st.	5.8% (0.9 m)
10	67 st.	0.6% (0.1 m)
11	173 st.	2.1% (0.3 m)

Upper thread 15.8 m  
Bobbin 5.3 m

**File: FQ618\_48.vp3 (Pfaff)****Stitches: 4968****Size: 71.2 x 53.6 mm (2.80 x 2.11 ")****Begin: 35.6, 26.8 mm****End: 23.4, 8.3 mm****Start needle: 1****Colors: 11/11 , Stops: 10****Date: 12-09-23**

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:




( 660 )	Stop 1
( 1167 )	Stop 2
( 2432 )	Stop 3
( 2966 )	Stop 4
( 3845 )	Stop 5
( 4076 )	Stop 6
( 4274 )	Stop 7
( 4336 )	Stop 8
( 4729 )	Stop 9
( 4796 )	Stop 10
( 4968 )	End



**Needle Thread consumption**

1	1028 st.	4.6% (4.8 m)
2	2584 st.	8.3% (8.6 m)
3	1619 st.	7.4% (7.7 m)
4	1148 st.	4.9% (5.0 m)
5	3103 st.	12.4% (12.9 m)
6	1046 st.	3.9% (4.0 m)
7	2055 st.	5.9% (6.2 m)
8	2687 st.	6.6% (6.9 m)
9	2042 st.	8.5% (8.8 m)
10	1115 st.	4.4% (4.6 m)
11	1204 st.	3.6% (3.8 m)
12	976 st.	2.4% (2.5 m)
13	1467 st.	3.7% (3.8 m)
14	1547 st.	4.2% (4.4 m)
15	414 st.	1.5% (1.5 m)
16	408 st.	1.5% (1.6 m)
17	1326 st.	4.0% (4.1 m)
18	1998 st.	4.8% (5.0 m)
19	1197 st.	2.8% (2.9 m)
20	292 st.	0.8% (0.8 m)
21	998 st.	3.7% (3.8 m)

Upper thread 103.6 m  
Bobbin 34.5 m

**File: FQ617\_48.vp3 (Pfaff)****Stitches: 30254****Size: 118.0 x 198.2 mm (4.65 x 7.80 ")****Begin: 59.0, 99.1 mm****End: 68.2, 8.0 mm****Start needle: 1****Colors: 20/21 , Stops: 20****Date: 12-09-23**

Stitches ratio diagram:

**Histogram**

(1029) Stop 1  
(3613) Stop 2  
(5232) Stop 3  
(6380) Stop 4  
(9483) Stop 5  
(10529) Stop 6  
(12584) Stop 7  
(15271) Stop 8  
(17313) Stop 9  
(18428) Stop 10  
(19632) Stop 11  
(20608) Stop 12  
(22075) Stop 13  
(23622) Stop 14  
(24036) Stop 15  
(24444) Stop 16  
(25770) Stop 17  
(27768) Stop 18  
(28965) Stop 19  
(29257) Stop 20  
(30254) End

This area is reserved for your logo. Place logo.bmp file (width: 721 , height: 237 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

