

Needle Thread consumption


1	1347 st.	22.8% (6.3 m)
2	1463 st.	23.3% (6.4 m)
3	797 st.	10.6% (2.9 m)
4	1725 st.	22.8% (6.3 m)
5	1549 st.	20.6% (5.7 m)

Upper thread	27.6 m
Bobbin	9.2 m

File: 2313696.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6881
Size: 51.8 x 51.4 mm (2.04 x 2.02 ")
Begin: 25.9, 25.7 mm
End: 34.3, 51.1 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1348) Stop 1
- (2811) Stop 2
- (3608) Stop 3
- (5333) Stop 4
- (6881) End

Stitches ratio diagram:




Needle	Thread consumption
1 866 st.	13.0% (4.1 m)
2 1891 st.	28.5% (8.9 m)
3 1541 st.	19.4% (6.1 m)
4 1505 st.	18.6% (5.8 m)
5 1685 st.	20.4% (6.4 m)

Upper thread	31.2 m
Bobbin	10.4 m

File: 2313706.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7488
Size: 36.2 x 51.2 mm (1.43 x 2.02 ")
Begin: 18.1, 25.6 mm
End: 0.6, 0.3 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (867) Stop 1
- (2758) Stop 2
- (4299) Stop 3
- (5804) Stop 4
- (7488) End



Needle Thread consumption


1	706 st.	14.3% (3.0 m)
2	1230 st.	28.2% (5.9 m)
3	905 st.	16.0% (3.4 m)
4	953 st.	18.4% (3.9 m)
5	1278 st.	23.2% (4.9 m)

Upper thread	21.1 m
Bobbin	7.0 m

File: 2313716.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5072
Size: 35.0 x 51.6 mm (1.38 x 2.03 ")
Begin: 17.5, 25.8 mm
End: 33.2, 50.3 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



(707)	Stop 1
(1937)	Stop 2
(2842)	Stop 3
(3795)	Stop 4
(5072)	End




Needle	Thread consumption
1 962 st.	16.2% (4.7 m)
2 1524 st.	24.1% (7.0 m)
3 1293 st.	17.3% (5.0 m)
4 1643 st.	21.9% (6.4 m)
5 1587 st.	20.5% (6.0 m)

Upper thread	29.1 m
Bobbin	9.7 m

File: 2313726.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7009
Size: 39.6 x 51.4 mm (1.56 x 2.02 ")
Begin: 19.8, 25.7 mm
End: 0.5, 51.0 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (963) Stop 1
- (2487) Stop 2
- (3780) Stop 3
- (5423) Stop 4
- (7009) End



Needle Thread consumption


1	867 st.	13.1% (3.6 m)
2	1517 st.	25.5% (7.0 m)
3	1212 st.	17.6% (4.8 m)
4	1439 st.	21.7% (5.9 m)
5	1609 st.	22.1% (6.0 m)

Upper thread	27.4 m
Bobbin	9.1 m

File: 2313736.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6644
Size: 33.8 x 51.6 mm (1.33 x 2.03 ")
Begin: 16.9, 25.8 mm
End: 0.2, 50.9 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (868) Stop 1
- (2385) Stop 2
- (3597) Stop 3
- (5036) Stop 4
- (6644) End

Stitches ratio diagram:



Needle Thread consumption


1	395 st.	7.9% (1.8 m)
2	1695 st.	34.3% (7.8 m)
3	1233 st.	20.4% (4.6 m)
4	911 st.	15.6% (3.6 m)
5	1314 st.	21.8% (5.0 m)

Upper thread	22.8 m
Bobbin	7.6 m

File: 2313746.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5548
Size: 31.8 x 51.4 mm (1.25 x 2.02 ")
Begin: 15.9, 25.7 mm
End: 0.3, 50.8 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (396) Stop 1
- (2091) Stop 2
- (3324) Stop 3
- (4235) Stop 4
- (5548) End



Needle Thread consumption


1	1039 st.	17.1% (4.8 m)
2	1448 st.	24.8% (6.9 m)
3	1073 st.	15.0% (4.2 m)
4	1389 st.	19.3% (5.4 m)
5	1764 st.	23.9% (6.7 m)

Upper thread	28.0 m
Bobbin	9.3 m

File: 2313756.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6713
Size: 43.2 x 51.6 mm (1.70 x 2.03 ")
Begin: 21.6, 25.8 mm
End: 42.1, 46.1 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1040) Stop 1
- (2488) Stop 2
- (3561) Stop 3
- (4950) Stop 4
- (6713) End

Stitches ratio diagram:



Needle Thread consumption


1	953 st.	13.2% (4.1 m)
2	1831 st.	26.8% (8.4 m)
3	1468 st.	17.4% (5.4 m)
4	1645 st.	20.8% (6.5 m)
5	1785 st.	21.7% (6.8 m)

Upper thread	31.2 m
Bobbin	10.4 m

File: 2313766.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7682
Size: 38.6 x 51.6 mm (1.52 x 2.03 ")
Begin: 19.3, 25.8 mm
End: 0.1, 50.9 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (954) Stop 1
- (2785) Stop 2
- (4253) Stop 3
- (5898) Stop 4
- (7682) End



Needle Thread consumption


1	392 st.	11.7% (1.8 m)
2	992 st.	29.1% (4.4 m)
3	761 st.	19.2% (2.9 m)
4	684 st.	16.3% (2.5 m)
5	946 st.	23.7% (3.6 m)

Upper thread	15.1 m
Bobbin	5.0 m

File: 2313776.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 3775
Size: 16.0 x 51.4 mm (0.63 x 2.02 ")
Begin: 8.0, 25.7 mm
End: 0.5, 50.7 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (393) Stop 1
- (1385) Stop 2
- (2146) Stop 3
- (2830) Stop 4
- (3775) End



Needle Thread consumption


1	595 st.	17.6% (2.7 m)
2	864 st.	25.8% (3.9 m)
3	463 st.	12.3% (1.9 m)
4	736 st.	18.5% (2.8 m)
5	1041 st.	25.8% (3.9 m)

Upper thread	15.2 m
Bobbin	5.1 m

File: 2313786.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 3699
Size: 23.6 x 51.6 mm (0.93 x 2.03 ")
Begin: 11.8, 25.8 mm
End: 7.9, 50.9 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (596) Stop 1
- (1460) Stop 2
- (1923) Stop 3
- (2659) Stop 4
- (3699) End



Needle Thread consumption


1	942 st.	13.0% (4.1 m)
2	1872 st.	27.2% (8.5 m)
3	1537 st.	19.2% (6.0 m)
4	1444 st.	18.1% (5.6 m)
5	1857 st.	22.5% (7.0 m)

Upper thread	31.2 m
Bobbin	10.4 m

File: 2313796.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7652
Size: 41.4 x 51.6 mm (1.63 x 2.03 ")
Begin: 20.7, 25.8 mm
End: 0.1, 50.8 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



- (943) Stop 1
- (2815) Stop 2
- (4352) Stop 3
- (5796) Stop 4
- (7652) End




Needle	Thread consumption
1 764 st.	17.3% (3.3 m)
2 928 st.	20.5% (4.0 m)
3 768 st.	15.3% (3.0 m)
4 1160 st.	24.4% (4.7 m)
5 1157 st.	22.5% (4.4 m)

Upper thread	19.4 m
Bobbin	6.5 m

File: 2313806.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 4777
Size: 33.4 x 51.6 mm (1.31 x 2.03 ")
Begin: 16.7, 25.8 mm
End: 0.2, 50.7 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



- (765) Stop 1
- (1693) Stop 2
- (2461) Stop 3
- (3621) Stop 4
- (4777) End



Needle Thread consumption


1	1378 st.	16.3% (6.0 m)
2	1932 st.	24.3% (8.8 m)
3	1798 st.	18.3% (6.7 m)
4	1861 st.	20.0% (7.3 m)
5	2092 st.	21.1% (7.7 m)

Upper thread	36.5 m
Bobbin	12.2 m

File: 2313816.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 9061
Size: 52.6 x 51.2 mm (2.07 x 2.02 ")
Begin: 26.3, 25.6 mm
End: 6.5, 50.6 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1379) Stop 1
- (3311) Stop 2
- (5109) Stop 3
- (6970) Stop 4
- (9061) End

Stitches ratio diagram:



Needle Thread consumption


1	930 st.	13.1% (4.1 m)
2	2045 st.	30.2% (9.4 m)
3	1371 st.	17.9% (5.5 m)
4	1453 st.	18.2% (5.6 m)
5	1765 st.	20.7% (6.4 m)

Upper thread	31.1 m
Bobbin	10.4 m

File: 2313826.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7564
Size: 38.8 x 51.6 mm (1.53 x 2.03 ")
Begin: 19.4, 25.8 mm
End: 0.4, 50.9 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



(931)	Stop 1
(2976)	Stop 2
(4347)	Stop 3
(5800)	Stop 4
(7564)	End




Needle	Thread consumption
1 1037 st.	15.9% (4.9 m)
2 1671 st.	25.6% (7.9 m)
3 1402 st.	17.5% (5.4 m)
4 1508 st.	19.3% (6.0 m)
5 1785 st.	21.6% (6.7 m)

Upper thread 30.9 m
 Bobbin 10.3 m

File: 2313836.pes (Babylock, Bernina, Brother #PES0001)
 Stitches: 7403
 Size: 49.6 x 51.6 mm (1.95 x 2.03 ")
 Begin: 24.8, 25.8 mm
 End: 36.6, 3.5 mm
 Start needle: 1
 Colors: 5/5 , Stops: 4
 Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1038) Stop 1
- (2709) Stop 2
- (4111) Stop 3
- (5619) Stop 4
- (7403) End

Stitches ratio diagram:



Needle Thread consumption


1	507 st.	8.1% (2.2 m)
2	1802 st.	32.0% (8.6 m)
3	1646 st.	24.2% (6.5 m)
4	1102 st.	16.1% (4.3 m)
5	1404 st.	19.5% (5.2 m)

Upper thread	26.9 m
Bobbin	9.0 m

File: 2313846.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6461
Size: 36.0 x 51.6 mm (1.42 x 2.03 ")
Begin: 18.0, 25.8 mm
End: 0.1, 50.8 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (508) Stop 1
- (2310) Stop 2
- (3956) Stop 3
- (5058) Stop 4
- (6461) End



Needle Thread consumption


1	1126 st.	17.5% (5.1 m)
2	1474 st.	24.2% (7.0 m)
3	1398 st.	16.7% (4.8 m)
4	1445 st.	19.6% (5.7 m)
5	1794 st.	21.9% (6.4 m)

Upper thread	29.0 m
Bobbin	9.7 m

File: 2313856.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7237
Size: 47.6 x 51.6 mm (1.87 x 2.03 ")
Begin: 23.8, 25.8 mm
End: 47.0, 9.5 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1127) Stop 1
- (2601) Stop 2
- (3999) Stop 3
- (5444) Stop 4
- (7237) End

Stitches ratio diagram:



Needle Thread consumption


1	976 st.	13.2% (3.9 m)
2	1955 st.	30.4% (9.0 m)
3	1369 st.	17.1% (5.1 m)
4	1456 st.	18.8% (5.6 m)
5	1618 st.	20.4% (6.1 m)

Upper thread	29.6 m
Bobbin	9.9 m

File: 2313866.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 7374
Size: 40.6 x 51.5 mm (1.60 x 2.03 ")
Begin: 20.3, 25.8 mm
End: 14.5, 27.3 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



- (977) Stop 1
- (2932) Stop 2
- (4301) Stop 3
- (5757) Stop 4
- (7374) End



Needle Thread consumption


1	671 st.	15.7% (3.0 m)
2	1246 st.	28.3% (5.4 m)
3	744 st.	13.3% (2.5 m)
4	973 st.	20.3% (3.9 m)
5	1204 st.	22.5% (4.3 m)

Upper thread	19.0 m
Bobbin	6.3 m

File: 2313876.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 4838
Size: 28.4 x 51.6 mm (1.12 x 2.03 ")
Begin: 14.2, 25.8 mm
End: 26.7, 49.5 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (672) Stop 1
- (1918) Stop 2
- (2662) Stop 3
- (3635) Stop 4
- (4838) End



Needle Thread consumption


1	448 st.	9.2%	(1.9 m)
2	1511 st.	34.4%	(6.9 m)
3	1077 st.	20.0%	(4.0 m)
4	800 st.	15.8%	(3.2 m)
5	1085 st.	20.6%	(4.1 m)

Upper thread	20.2 m
Bobbin	6.7 m

File: 2313886.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 4921
Size: 35.6 x 51.6 mm (1.40 x 2.03 ")
Begin: 17.8, 25.8 mm
End: 25.4, 36.2 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (449) Stop 1
- (1960) Stop 2
- (3037) Stop 3
- (3837) Stop 4
- (4921) End



Needle Thread consumption


1	810 st.	14.0% (3.7 m)
2	1933 st.	30.0% (7.9 m)
3	1216 st.	16.7% (4.4 m)
4	1243 st.	18.2% (4.8 m)
5	1494 st.	21.1% (5.5 m)

Upper thread	26.2 m
Bobbin	8.7 m

File: 2313896.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6696
Size: 34.8 x 51.6 mm (1.37 x 2.03 ")
Begin: 17.4, 25.8 mm
End: 19.6, 51.2 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (811) Stop 1
- (2744) Stop 2
- (3960) Stop 3
- (5203) Stop 4
- (6696) End



Needle Thread consumption


1	635 st.	11.1% (2.9 m)
2	1885 st.	31.0% (8.0 m)
3	1375 st.	18.7% (4.8 m)
4	1193 st.	17.9% (4.6 m)
5	1486 st.	21.3% (5.5 m)

Upper thread	25.8 m
Bobbin	8.6 m

File: 2313906.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6574
Size: 45.4 x 51.4 mm (1.79 x 2.02 ")
Begin: 22.7, 25.7 mm
End: 29.9, 51.0 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (636) Stop 1
- (2521) Stop 2
- (3896) Stop 3
- (5089) Stop 4
- (6574) End



Needle Thread consumption


1	1272 st.	14.6% (5.5 m)
2	2661 st.	30.4% (11.6 m)
3	1707 st.	15.7% (6.0 m)
4	1887 st.	19.7% (7.5 m)
5	2080 st.	19.7% (7.5 m)

Upper thread	38.1 m
Bobbin	12.7 m

File: 2313916.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 9607
Size: 54.2 x 54.8 mm (2.13 x 2.16 ")
Begin: 27.1, 27.4 mm
End: 35.0, 0.3 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1273) Stop 1
- (3934) Stop 2
- (5641) Stop 3
- (7528) Stop 4
- (9607) End

Stitches ratio diagram:



Needle Thread consumption


1	1158 st.	17.5% (4.8 m)
2	1670 st.	27.0% (7.4 m)
3	1218 st.	16.6% (4.6 m)
4	1339 st.	18.5% (5.1 m)
5	1465 st.	20.5% (5.6 m)

Upper thread	27.5 m
Bobbin	9.2 m

File: 2313926.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6850
Size: 47.4 x 51.5 mm (1.87 x 2.03 ")
Begin: 23.7, 25.8 mm
End: 32.4, 25.8 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

- (1159) Stop 1
- (2829) Stop 2
- (4047) Stop 3
- (5386) Stop 4
- (6850) End

Stitches ratio diagram:



Needle Thread consumption


1	452 st.	9.2% (1.9 m)
2	1754 st.	35.0% (7.4 m)
3	1188 st.	20.8% (4.4 m)
4	762 st.	13.8% (2.9 m)
5	1159 st.	21.3% (4.5 m)

Upper thread	21.1 m
Bobbin	7.0 m

File: 2313936.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5315
Size: 44.4 x 51.4 mm (1.75 x 2.02 ")
Begin: 22.2, 25.7 mm
End: 14.4, 0.4 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (453) Stop 1
- (2207) Stop 2
- (3395) Stop 3
- (4157) Stop 4
- (5315) End



Needle Thread consumption


1	954 st.	15.1% (3.9 m)
2	1542 st.	28.2% (7.3 m)
3	1142 st.	17.0% (4.4 m)
4	1333 st.	20.5% (5.3 m)
5	1196 st.	19.2% (5.0 m)

Upper thread	26.0 m
Bobbin	8.7 m

File: 2313946.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6167
Size: 40.4 x 51.4 mm (1.59 x 2.02 ")
Begin: 20.2, 25.7 mm
End: 22.5, 14.9 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (955) Stop 1
- (2497) Stop 2
- (3639) Stop 3
- (4972) Stop 4
- (6167) End



Needle Thread consumption


1	863 st.	14.9% (3.8 m)
2	1663 st.	30.1% (7.7 m)
3	1221 st.	18.3% (4.7 m)
4	1194 st.	17.6% (4.5 m)
5	1356 st.	19.1% (4.9 m)

Upper thread	25.8 m
Bobbin	8.6 m

File: 2313956.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6297
Size: 38.6 x 51.6 mm (1.52 x 2.03 ")
Begin: 19.3, 25.8 mm
End: 23.4, 17.8 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (864) Stop 1
- (2527) Stop 2
- (3748) Stop 3
- (4942) Stop 4
- (6297) End



Needle Thread consumption


1	439 st.	11.3% (1.8 m)
2	1239 st.	31.3% (5.0 m)
3	839 st.	18.4% (2.9 m)
4	734 st.	17.5% (2.8 m)
5	921 st.	21.5% (3.4 m)

Upper thread	16.0 m
Bobbin	5.3 m

File: 2313966.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 4172
Size: 23.6 x 51.2 mm (0.93 x 2.02 ")
Begin: 11.8, 25.6 mm
End: 8.8, 32.3 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



- (440) Stop 1
- (1679) Stop 2
- (2518) Stop 3
- (3252) Stop 4
- (4172) End



Needle Thread consumption


1	895 st.	15.6% (3.6 m)
2	1342 st.	26.4% (6.2 m)
3	906 st.	15.5% (3.6 m)
4	1261 st.	21.1% (4.9 m)
5	1340 st.	21.4% (5.0 m)

Upper thread	23.4 m
Bobbin	7.8 m

File: 2313976.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5744
Size: 37.6 x 51.4 mm (1.48 x 2.02 ")
Begin: 18.8, 25.7 mm
End: 24.5, 14.8 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (896) Stop 1
- (2238) Stop 2
- (3144) Stop 3
- (4405) Stop 4
- (5744) End



Needle Thread consumption


1	793 st.	16.6% (3.6 m)
2	1206 st.	25.8% (5.5 m)
3	897 st.	16.3% (3.5 m)
4	1023 st.	18.5% (4.0 m)
5	1339 st.	22.7% (4.9 m)

Upper thread	21.4 m
Bobbin	7.1 m

File: 2313986.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5258
Size: 33.0 x 51.6 mm (1.30 x 2.03 ")
Begin: 16.5, 25.8 mm
End: 30.2, 41.1 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (794) Stop 1
- (2000) Stop 2
- (2897) Stop 3
- (3920) Stop 4
- (5258) End




Needle	Thread consumption
1 743 st.	15.1% (3.2 m)
2 1354 st.	25.6% (5.5 m)
3 849 st.	13.5% (2.9 m)
4 1305 st.	23.9% (5.1 m)
5 1192 st.	21.9% (4.7 m)

Upper thread	21.4 m
Bobbin	7.1 m

File: 2313996.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5443
Size: 38.4 x 51.4 mm (1.51 x 2.02 ")
Begin: 19.2, 25.7 mm
End: 0.5, 10.2 mm
Start needle: 1
Colors: 5/5 , **Stops:** 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (744) Stop 1
- (2098) Stop 2
- (2947) Stop 3
- (4252) Stop 4
- (5443) End



Needle Thread consumption


1	780 st.	15.8% (3.7 m)
2	1579 st.	29.9% (6.9 m)
3	1067 st.	17.0% (3.9 m)
4	1034 st.	15.8% (3.7 m)
5	1346 st.	21.4% (5.0 m)

Upper thread	23.2 m
Bobbin	7.7 m

File: 2314006.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5806
Size: 34.3 x 51.6 mm (1.35 x 2.03 ")
Begin: 17.1, 25.8 mm
End: 5.3, 21.1 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (781) Stop 1
- (2360) Stop 2
- (3427) Stop 3
- (4461) Stop 4
- (5806) End



Needle Thread consumption


1	840 st.	18.5% (3.9 m)
2	1246 st.	24.9% (5.3 m)
3	641 st.	10.5% (2.2 m)
4	1388 st.	25.9% (5.5 m)
5	1216 st.	20.3% (4.3 m)

Upper thread	21.3 m
Bobbin	7.1 m

File: 2314016.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5331
Size: 36.4 x 51.6 mm (1.43 x 2.03 ")
Begin: 18.2, 25.8 mm
End: 14.1, 16.5 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (841) Stop 1
- (2087) Stop 2
- (2728) Stop 3
- (4116) Stop 4
- (5331) End




Needle	Thread consumption
1 504 st.	10.4% (2.2 m)
2 1502 st.	34.8% (7.3 m)
3 1068 st.	19.4% (4.0 m)
4 866 st.	15.6% (3.3 m)
5 1058 st.	19.7% (4.1 m)

Upper thread 20.9 m
Bobbin 7.0 m

File: 2314026.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 4998
Size: 36.2 x 51.4 mm (1.43 x 2.02 ")
Begin: 18.1, 25.7 mm
End: 18.3, 36.7 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (505) Stop 1
- (2007) Stop 2
- (3075) Stop 3
- (3941) Stop 4
- (4998) End



Needle Thread consumption


1	815 st.	14.9% (3.7 m)
2	1565 st.	28.7% (7.2 m)
3	1058 st.	16.0% (4.0 m)
4	1317 st.	20.4% (5.1 m)
5	1395 st.	20.0% (5.0 m)

Upper thread	25.0 m
Bobbin	8.3 m

File: 2314036.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 6150
Size: 33.6 x 51.6 mm (1.32 x 2.03 ")
Begin: 16.8, 25.8 mm
End: 13.5, 14.5 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (816) Stop 1
- (2381) Stop 2
- (3439) Stop 3
- (4756) Stop 4
- (6150) End



Needle Thread consumption


1	571 st.	11.0% (2.5 m)
2	1607 st.	32.4% (7.4 m)
3	1145 st.	18.3% (4.2 m)
4	1088 st.	18.7% (4.3 m)
5	1223 st.	19.6% (4.5 m)

Upper thread	22.8 m
Bobbin	7.6 m

File: 2314046.pes (Babylock, Bernina, Brother #PES0001)
Stitches: 5634
Size: 36.4 x 51.5 mm (1.43 x 2.03 ")
Begin: 18.2, 25.8 mm
End: 15.2, 28.9 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 06-11-23

This area is reserved for your logo. Place logo.bmp file (width: 1442 , height: 474 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

Stitches ratio diagram:



- (572) Stop 1
- (2179) Stop 2
- (3324) Stop 3
- (4412) Stop 4
- (5634) End

