


**Needle Thread consumption** File: AP1...\_001 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	220 st.	5.7%	(0.7 m)
2	609 st.	15.5%	(2.0 m)
3	1633 st.	42.6%	(5.4 m)
4	884 st.	21.3%	(2.7 m)
5	576 st.	14.9%	(1.9 m)

**Stitches: 3922**  
**Size: 97.4 x 48.6 mm (3.83 x 1.91 ")**  
**Begin: 48.7, 24.3 mm**  
**End: 48.7, 24.2 mm**  
**Start needle: 1**  
**Colors: 5/5 , Stops: 4**  
**Date: 04-05-2024**


Upper thread 12.6 m  
 Bobbin 4.2 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

(221) Stop 1  
 (830) Stop 2  
 (2463) Stop 3  
 (3347) Stop 4  
 (3922) End




**Needle Thread consumption** File: AP1...\_002 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embroid.exe file.

1	1299 st.	24.5% (3.9 m)
2	2009 st.	41.1% (6.6 m)
3	222 st.	5.1% (0.8 m)
4	898 st.	17.7% (2.8 m)
5	577 st.	11.6% (1.8 m)

**Stitches: 5005**  
**Size: 97.6 x 97.7 mm (3.84 x 3.85 ")**  
**Begin: 48.8, 48.9 mm**  
**End: 19.6, 18.1 mm**  
**Start needle: 1**  
**Colors: 5/5 , Stops: 4**  
**Date: 04-05-2024**

Upper thread 16.0 m  
 Bobbin 5.3 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embroid.exe file.



**Histogram**

Stitches ratio diagram:



- (1300) Stop 1
- (3309) Stop 2
- (3531) Stop 3
- (4429) Stop 4
- (5005) End




**Needle Thread consumption** File: AP1...\_003 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	528 st.	11.5% (1.5 m)
2	1312 st.	31.3% (4.0 m)
3	137 st.	3.2% (0.4 m)
4	768 st.	18.3% (2.3 m)
5	836 st.	19.1% (2.5 m)
6	71 st.	1.7% (0.2 m)
7	444 st.	10.1% (1.3 m)
8	249 st.	3.9% (0.5 m)
9	50 st.	0.8% (0.1 m)

**Stitches: 4395**  
**Size: 76.5 x 73.4 mm (3.01 x 2.89 ")**  
**Begin: 38.3, 36.7 mm**  
**End: 68.1, 59.9 mm**  
**Start needle: 1**  
**Colors: 7/9 , Stops: 8**  
**Date: 04-05-2024**

Upper thread 12.8 m  
 Bobbin 4.3 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

Stitches ratio diagram:

(529) Stop 1  
 (1841) Stop 2  
 (1978) Stop 3  
 (2746) Stop 4  
 (3582) Stop 5  
 (3653) Stop 6  
 (4097) Stop 7  
 (4346) Stop 8  
 (4395) End




**Needle Thread consumption** File: AP1...\_004 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	85 st.	2.9% (0.4 m)
2	2256 st.	55.2% (7.2 m)
3	456 st.	9.5% (1.2 m)
4	881 st.	22.5% (2.9 m)
5	403 st.	8.4% (1.1 m)
6	70 st.	1.6% (0.2 m)

Upper thread 13.0 m  
Bobbin 4.3 m

**Stitches: 4151**  
**Size: 97.2 x 40.4 mm (3.83 x 1.59 ")**  
**Begin: 48.6, 20.2 mm**  
**End: 49.0, 7.8 mm**  
**Start needle: 1**  
**Colors: 6/6 , Stops: 5**  
**Date: 04-05-2024**


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

(86)	Stop 1
(2342)	Stop 2
(2798)	Stop 3
(3679)	Stop 4
(4082)	Stop 5
(4151)	End

Stitches ratio diagram:




**Needle Thread consumption** File: AP1...\_005 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	404 st.	10.3% (1.3 m)
2	1657 st.	43.7% (5.5 m)
3	324 st.	8.1% (1.0 m)
4	102 st.	3.4% (0.4 m)
5	247 st.	7.1% (0.9 m)
6	1094 st.	27.4% (3.4 m)

Upper thread 12.5 m  
Bobbin 4.2 m

**Stitches: 3828**  
**Size: 84.5 x 89.7 mm (3.33 x 3.53 ")**  
**Begin: 42.3, 44.9 mm**  
**End: 84.5, 27.0 mm**  
**Start needle: 1**  
**Colors: 5/6 , Stops: 5**  
**Date: 04-05-2024**

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

(405) Stop 1  
(2062) Stop 2  
(2386) Stop 3  
(2488) Stop 4  
(2735) Stop 5  
(3828) End

Stitches ratio diagram:




**Needle Thread consumption** File: AP1...\_006 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	560 st.	15.7% (1.6 m)
2	1495 st.	47.3% (4.8 m)
3	98 st.	3.6% (0.4 m)
4	247 st.	7.5% (0.8 m)
5	761 st.	25.9% (2.6 m)

Upper thread 10.2 m  
Bobbin 3.4 m

**Stitches: 3161**  
**Size: 76.6 x 76.6 mm (3.02 x 3.02 ")**  
**Begin: 38.3, 38.3 mm**  
**End: 60.7, 39.5 mm**  
**Start needle: 1**  
**Colors: 5/5 , Stops: 4**  
**Date: 04-05-2024**


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

(561) Stop 1  
(2056) Stop 2  
(2154) Stop 3  
(2401) Stop 4  
(3161) End

Stitches ratio diagram:




**Needle Thread consumption** File: AP1...\_007 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	642 st.	8.2% (1.9 m)
2	2310 st.	31.0% (7.1 m)
3	92 st.	1.7% (0.4 m)
4	210 st.	3.0% (0.7 m)
5	1570 st.	23.3% (5.4 m)
6	1289 st.	18.1% (4.2 m)
7	675 st.	9.9% (2.3 m)
8	43 st.	0.8% (0.2 m)
9	38 st.	0.3% (0.1 m)
10	16 st.	0.1% (0.0 m)
11	299 st.	3.5% (0.8 m)

**Stitches: 7184**  
**Size: 82.0 x 98.4 mm (3.23 x 3.87 ")**  
**Begin: 41.0, 49.2 mm**  
**End: 53.4, 42.5 mm**  
**Start needle: 1**  
**Colors: 10/11 , Stops: 10**  
**Date: 04-05-2024**

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 23.0 m  
 Bobbin 7.7 m



- Histogram**
- Stitches ratio diagram:
- 
- (643) Stop 1
  - (2953) Stop 2
  - (3045) Stop 3
  - (3255) Stop 4
  - (4825) Stop 5
  - (6114) Stop 6
  - (6789) Stop 7
  - (6832) Stop 8
  - (6870) Stop 9
  - (6886) Stop 10
  - (7184) End




**Needle Thread consumption** File: AP1...\_008 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	573 st.	8.7%	(1.6 m)
2	1286 st.	22.4%	(4.0 m)
3	91 st.	2.5%	(0.4 m)
4	210 st.	4.1%	(0.7 m)
5	1381 st.	26.0%	(4.6 m)
6	1015 st.	17.4%	(3.1 m)
7	670 st.	12.7%	(2.3 m)
8	43 st.	1.1%	(0.2 m)
9	36 st.	0.4%	(0.1 m)
10	16 st.	0.2%	(0.0 m)
11	298 st.	4.5%	(0.8 m)

**Stitches: 5619**  
**Size: 71.3 x 97.6 mm (2.81 x 3.84 ")**  
**Begin: 35.6, 48.8 mm**  
**End: 41.8, 39.4 mm**  
**Start needle: 1**  
**Colors: 11/11 , Stops: 10**  
**Date: 04-05-2024**

Upper thread 17.8 m  
 Bobbin 5.9 m



This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

**Histogram**

Stitches ratio diagram:



- (574) Stop 1
- (1860) Stop 2
- (1951) Stop 3
- (2161) Stop 4
- (3542) Stop 5
- (4557) Stop 6
- (5227) Stop 7
- (5270) Stop 8
- (5306) Stop 9
- (5322) Stop 10
- (5619) End




Needle Thread consumption File: AP1... 009 (Babylock, Bernina, Brother #PES0001)

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	1831 st.	31.4%	(5.5 m)
2	284 st.	4.4%	(0.8 m)
3	171 st.	2.4%	(0.4 m)
4	1187 st.	22.3%	(3.9 m)
5	183 st.	2.9%	(0.5 m)
6	997 st.	17.4%	(3.0 m)
7	681 st.	13.1%	(2.3 m)
8	41 st.	1.0%	(0.2 m)
9	38 st.	0.5%	(0.1 m)
10	16 st.	0.2%	(0.0 m)
11	273 st.	4.4%	(0.8 m)

**Stitches: 5702**  
**Size: 97.6 x 73.2 mm (3.84 x 2.88 ")**  
**Begin: 48.8, 36.6 mm**  
**End: 52.4, 24.5 mm**  
**Start needle: 1**  
**Colors: 8/11 , Stops: 10**  
**Date: 04-05-2024**

Upper thread 17.4 m  
 Bobbin 5.8 m



This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Histogram

Stitches ratio diagram:



- (1832) Stop 1
- (2116) Stop 2
- (2287) Stop 3
- (3474) Stop 4
- (3657) Stop 5
- (4654) Stop 6
- (5335) Stop 7
- (5376) Stop 8
- (5414) Stop 9
- (5430) Stop 10
- (5702) End



Needle Thread consumption File: AP1...\_010 (Babylock, Bernina, Brother #PES0001)


1	1124 st.	27.4% (3.6 m)
2	752 st.	17.1% (2.2 m)
3	1632 st.	41.8% (5.5 m)
4	527 st.	11.9% (1.6 m)
5	76 st.	1.8% (0.2 m)

**Stitches: 4111**  
**Size: 97.6 x 59.8 mm (3.84 x 2.35 ")**  
**Begin: 48.8, 29.9 mm**  
**End: 48.7, 29.8 mm**  
**Start needle: 1**  
**Colors: 5/5 , Stops: 4**  
**Date: 04-05-2024**

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

Upper thread 13.1 m  
 Bobbin 4.4 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.




Histogram

Stitches ratio diagram:



- (1125) Stop 1
- (1877) Stop 2
- (3509) Stop 3
- (4036) Stop 4
- (4111) End




**Needle Thread consumption** File: AP1...\_011 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	1975 st.	36.3% (6.3 m)
2	103 st.	2.8% (0.5 m)
3	280 st.	6.0% (1.0 m)
4	557 st.	9.1% (1.6 m)
5	2030 st.	36.4% (6.3 m)
6	459 st.	7.8% (1.4 m)
7	80 st.	1.6% (0.3 m)

Upper thread 17.4 m  
Bobbin 5.8 m


**Stitches: 5484**  
**Size: 97.4 x 97.4 mm (3.83 x 3.83 ")**  
**Begin: 48.7, 48.7 mm**  
**End: 74.9, 23.3 mm**  
**Start needle: 1**  
**Colors: 6/7 , Stops: 6**  
**Date: 04-05-2024**

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

(1976) Stop 1  
(2079) Stop 2  
(2359) Stop 3  
(2916) Stop 4  
(4946) Stop 5  
(5405) Stop 6  
(5484) End




**Needle Thread consumption** File: AP1...\_012 (Babylock, Bernina, Brother #PES0001) This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	948 st.	20.3% (3.2 m)
2	1658 st.	35.2% (5.5 m)
3	250 st.	6.1% (0.9 m)
4	1111 st.	23.8% (3.7 m)
5	707 st.	14.6% (2.3 m)

**Stitches: 4674**  
**Size: 94.8 x 88.0 mm (3.73 x 3.46 ")**  
**Begin: 47.4, 44.0 mm**  
**End: 48.8, 29.7 mm**  
**Start needle: 1**  
**Colors: 5/5 , Stops: 4**  
**Date: 04-05-2024**

Upper thread 15.5 m  
 Bobbin 5.2 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



**Histogram**

(949) Stop 1  
 (2607) Stop 2  
 (2857) Stop 3  
 (3968) Stop 4  
 (4674) End

