

Needle Thread consumption **File: Bord... (9) (Babylock, Bernina, Brother #PES0040)**


1	5949 st.	28.0% (21.1 m)
2	6313 st.	38.7% (29.2 m)
3	6769 st.	33.3% (25.1 m)

Upper thread 75.4 m
Bobbin 25.1 m

Stitches: 19031
Size: 299.2 x 58.0 mm (11.78 x 2.28 ")
Begin: 149.6, 29.0 mm
End: 248.4, 25.2 mm
Start needle: 1
Colors: 3/3 , Stops: 2
Date: 13-06-2024


This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram
(5950) Stop 1
(12263) Stop 2
(19031) End

Stitches ratio diagram:



Needle Thread consumption File: Bord... (8) (Babylock, Bernina, Brother #PES0040)


This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	6383 st.	21.8% (23.0 m)
2	4922 st.	27.4% (29.0 m)
3	1771 st.	6.9% (7.3 m)
4	1626 st.	5.8% (6.1 m)
5	5092 st.	14.8% (15.7 m)
6	3048 st.	10.8% (11.4 m)
7	909 st.	3.2% (3.4 m)
8	2986 st.	9.3% (9.8 m)

Stitches: 26737
Size: 299.5 x 56.7 mm (11.79 x 2.23 ")
Begin: 149.7, 28.4 mm
End: 271.0, 36.8 mm
Start needle: 1
Colors: 6/8 , Stops: 7
Date: 13-06-2024


Upper thread 105.6 m
 Bobbin 35.2 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



- Histogram
- (6384) Stop 1
 - (11306) Stop 2
 - (13077) Stop 3
 - (14703) Stop 4
 - (19795) Stop 5
 - (22843) Stop 6
 - (23752) Stop 7
 - (26737) End

Stitches ratio diagram:



Needle Thread consumption File: Bord... (7) (Babylock, Bernina, Brother #PES0040)


1	2757 st.	38.2% (23.8 m)
2	2351 st.	14.7% (9.2 m)
3	524 st.	4.7% (2.9 m)
4	731 st.	6.3% (3.9 m)
5	2044 st.	23.6% (14.7 m)
6	2382 st.	12.5% (7.8 m)

Stitches: 10789
Size: 299.5 x 48.5 mm (11.79 x 1.91 ")
Begin: 149.8, 24.2 mm
End: 286.0, 27.4 mm
Start needle: 1
Colors: 5/6 , Stops: 5
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 62.2 m
 Bobbin 20.7 m




Histogram

Stitches ratio diagram:



- (2758) Stop 1
- (5109) Stop 2
- (5633) Stop 3
- (6364) Stop 4
- (8408) Stop 5
- (10789) End



Needle Thread consumption File: Bord... (6) (Babylock, Bernina, Brother #PES0040)


1	13116 st.	62.9% (65.8 m)
2	6656 st.	23.9% (25.1 m)
3	1374 st.	3.6% (3.8 m)
4	3841 st.	7.6% (7.9 m)
5	795 st.	2.0% (2.1 m)

Stitches: 25782
Size: 299.2 x 71.0 mm (11.78 x 2.80 ")
Begin: 149.2, 35.1 mm
End: 276.1, 52.4 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 104.6 m
 Bobbin 34.9 m



Histogram

(13117) Stop 1
 (19773) Stop 2
 (21147) Stop 3
 (24988) Stop 4
 (25782) End



Needle Thread consumption File: Bord... (5) (Babylock, Bernina, Brother #PES0040)


1	2957 st.	29.3% (20.3 m)
2	2379 st.	11.5% (8.0 m)
3	2762 st.	14.3% (9.9 m)
4	3217 st.	18.6% (12.9 m)
5	2207 st.	7.3% (5.1 m)
6	4760 st.	19.0% (13.2 m)

Stitches: 18282
Size: 299.2 x 56.6 mm (11.78 x 2.23 ")
Begin: 149.6, 28.3 mm
End: 237.6, 34.7 mm
Start needle: 1
Colors: 6/6 , Stops: 5
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 69.4 m
 Bobbin 23.1 m




Histogram

Stitches ratio diagram:



- (2958) Stop 1
- (5337) Stop 2
- (8099) Stop 3
- (11316) Stop 4
- (13523) Stop 5
- (18282) End



Needle Thread consumption File: Bord... (4) (Babylock, Bernina, Brother #PES0040)


This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	6262 st.	28.0% (32.9 m)
2	7322 st.	28.4% (33.5 m)
3	3463 st.	7.1% (8.4 m)
4	3102 st.	10.6% (12.5 m)
5	5562 st.	14.8% (17.4 m)
6	4231 st.	11.1% (13.1 m)

Stitches: 29942
Size: 299.2 x 63.0 mm (11.78 x 2.48 ")
Begin: 149.6, 31.5 mm
End: 261.4, 50.2 mm
Start needle: 1
Colors: 6/6 , Stops: 5
Date: 13-06-2024


Upper thread 117.7 m
 Bobbin 39.2 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(6263) Stop 1
 (13585) Stop 2
 (17048) Stop 3
 (20150) Stop 4
 (25712) Stop 5
 (29942) End



Needle Thread consumption File: Bord... (3) (Babylock, Bernina, Brother #PES0040)


1	6524 st.	26.8% (23.3 m)
2	4922 st.	33.3% (29.0 m)
3	1160 st.	6.9% (6.0 m)
4	1783 st.	13.1% (11.4 m)
5	2710 st.	14.5% (12.6 m)
6	1746 st.	5.3% (4.6 m)

Stitches: 18845
Size: 299.6 x 57.2 mm (11.80 x 2.25 ")
Begin: 149.8, 28.6 mm
End: 266.1, 34.4 mm
Start needle: 1
Colors: 6/6 , Stops: 5
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 87.0 m
 Bobbin 29.0 m



Histogram

(6525)	Stop 1
(11447)	Stop 2
(12607)	Stop 3
(14390)	Stop 4
(17100)	Stop 5
(18845)	End



Needle Thread consumption File: Bord... (2) (Babylock, Bernina, Brother #PES0040)


1	6365 st.	28.5% (23.2 m)
2	4973 st.	36.5% (29.7 m)
3	3767 st.	18.9% (15.3 m)
4	1113 st.	5.3% (4.3 m)
5	1226 st.	7.3% (5.9 m)
6	1229 st.	3.5% (2.9 m)

Stitches: 18673
Size: 299.5 x 51.9 mm (11.79 x 2.04 ")
Begin: 149.7, 25.9 mm
End: 173.7, 34.7 mm
Start needle: 1
Colors: 6/6 , Stops: 5
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 81.2 m
 Bobbin 27.1 m



Histogram

(6366) Stop 1
 (11339) Stop 2
 (15106) Stop 3
 (16219) Stop 4
 (17445) Stop 5
 (18673) End



Needle Thread consumption **File: Bord...(17) (Babylock, Bernina, Brother #PES0040)** This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

Stitches: 20249

Size: 299.9 x 64.9 mm (11.81 x 2.56 ")

Begin: 150.0, 32.5 mm

End: 251.7, 50.7 mm

Start needle: 1


Colors: 6/7 , Stops: 6

Date: 13-06-2024

Upper thread 87.3 m
Bobbin 29.1 m

1	7752 st.	35.6% (31.1 m)
2	1592 st.	8.8% (7.7 m)
3	5118 st.	27.4% (23.9 m)
4	891 st.	5.1% (4.5 m)
5	1108 st.	4.7% (4.1 m)
6	2733 st.	12.9% (11.2 m)
7	1055 st.	5.5% (4.8 m)

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(7753) Stop 1
(9345) Stop 2
(14463) Stop 3
(15354) Stop 4
(16462) Stop 5
(19195) Stop 6
(20249) End

Stitches ratio diagram:




Needle Thread consumption **File: Bord...(16) (Babylock, Bernina, Brother #PES0040)** This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	2757 st.	45.0% (23.8 m)
2	801 st.	8.2% (4.3 m)
3	407 st.	3.2% (1.7 m)
4	1135 st.	10.5% (5.5 m)
5	328 st.	2.7% (1.4 m)
6	1319 st.	5.4% (2.9 m)
7	4456 st.	24.9% (13.1 m)

Upper thread 52.7 m
Bobbin 17.6 m


Stitches: 11203
Size: 299.4 x 66.8 mm (11.79 x 2.63 ")
Begin: 149.7, 33.4 mm
End: 263.5, 44.4 mm
Start needle: 1
Colors: 7/7 , Stops: 6
Date: 13-06-2024

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(2758)	Stop 1
(3559)	Stop 2
(3966)	Stop 3
(5101)	Stop 4
(5429)	Stop 5
(6748)	Stop 6
(11203)	End




Needle Thread consumption **File: Bord...(15) (Babylock, Bernina, Brother #PES0040)** This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	4048 st.	25.4% (13.6 m)
2	4418 st.	44.8% (24.0 m)
3	2469 st.	20.0% (10.7 m)
4	242 st.	2.5% (1.3 m)
5	1724 st.	7.3% (3.9 m)

Upper thread 53.6 m
Bobbin 17.9 m

Stitches: 12901
Size: 298.5 x 53.6 mm (11.75 x 2.11 ")
Begin: 149.3, 26.8 mm
End: 250.2, 38.7 mm
Start needle: 1
Colors: 5/5 , Stops: 4
Date: 13-06-2024


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(4049) Stop 1
(8467) Stop 2
(10936) Stop 3
(11178) Stop 4
(12901) End

Stitches ratio diagram:



Needle Thread consumption

1 ■ 17675 st. 100.0% (68.5 m)

Upper thread 68.5 m
Bobbin 22.8 m

File: Bord...(14) (Babylock, Bernina, Brother #PES0040)

Stitches: 17675

Size: 299.5 x 76.6 mm (11.79 x 3.02 ")

Begin: 149.8, 38.3 mm

End: 283.2, 35.8 mm


Start needle: 1

Colors: 1/1 , Stops: 0


Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram
(17675) End



Needle Thread consumption

1	5389 st.	52.5% (28.1 m)
2	5595 st.	47.5% (25.5 m)


Upper thread	53.6 m
Bobbin	17.9 m

File: Bord...(13) (Babylock, Bernina, Brother #PES0040)

Stitches: 10984
Size: 299.6 x 55.2 mm (11.80 x 2.17 ")
Begin: 149.8, 27.6 mm
End: 256.4, 34.6 mm
Start needle: 1
Colors: 2/2 , Stops: 1
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.


This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(5390) Stop 1
(10984) End

Stitches ratio diagram:




Needle Thread consumption **File: Bord...(12) (Babylock, Bernina, Brother #PES0040)** This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	4549 st.	35.6% (19.6 m)
2	3135 st.	29.3% (16.1 m)
3	5370 st.	31.4% (17.3 m)
4	499 st.	3.6% (2.0 m)

Upper thread 55.0 m
Bobbin 18.3 m

Stitches: 13553
Size: 299.2 x 45.4 mm (11.78 x 1.79 ")
Begin: 149.6, 22.7 mm
End: 293.0, 35.6 mm
Start needle: 1
Colors: 4/4 , Stops: 3
Date: 13-06-2024

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(4550) Stop 1
(7685) Stop 2
(13055) Stop 3
(13553) End

Stitches ratio diagram:




Needle Thread consumption **File: Bord...(11) (Babylock, Bernina, Brother #PES0040)** This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	5769 st.	24.0% (20.4 m)
2	6336 st.	34.7% (29.5 m)
3	3769 st.	22.4% (19.0 m)
4	5463 st.	18.9% (16.1 m)

Stitches: 21337
Size: 299.4 x 59.4 mm (11.79 x 2.34 ")
Begin: 149.7, 29.7 mm
End: 256.8, 38.7 mm
Start needle: 1
Colors: 3/4 , Stops: 3
Date: 13-06-2024


Upper thread 85.0 m
 Bobbin 28.3 m

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(5770) Stop 1
 (12106) Stop 2
 (15875) Stop 3
 (21337) End




Needle Thread consumption **File: Bord...(10) (Babylock, Bernina, Brother #PES0040)** This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

1	2951 st.	39.7% (20.3 m)
2	3378 st.	42.7% (21.8 m)
3	2932 st.	17.6% (9.0 m)

Upper thread 51.1 m
Bobbin 17.0 m


Stitches: 9261
Size: 299.2 x 44.0 mm (11.78 x 1.73 ")
Begin: 149.6, 22.0 mm
End: 258.0, 35.8 mm
Start needle: 1
Colors: 3/3 , Stops: 2
Date: 13-06-2024

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.



Histogram

(2952) Stop 1
(6330) Stop 2
(9261) End



Needle Thread consumption File: Bord... (1) (Babylock, Bernina, Brother #PES0040)


1	2763 st.	29.5% (23.8 m)
2	5840 st.	42.6% (34.4 m)
3	1514 st.	11.7% (9.4 m)
4	102 st.	1.6% (1.3 m)
5	743 st.	3.5% (2.8 m)
6	2850 st.	11.3% (9.1 m)

Stitches: 13812
Size: 299.4 x 62.0 mm (11.79 x 2.44 ")
Begin: 149.7, 31.0 mm
End: 283.5, 28.6 mm
Start needle: 1
Colors: 6/6 , Stops: 5
Date: 13-06-2024

This area is reserved for your logo. Place logo.bmp file (width: 1402 , height: 503 pixels) in the same folder as embird.exe file.

This area is reserved for your address information. Place address.txt text file containing your address in the same folder as embird.exe file.

Upper thread 80.8 m
 Bobbin 26.9 m



Histogram

(2764) Stop 1
 (8604) Stop 2
 (10118) Stop 3
 (10220) Stop 4
 (10963) Stop 5
 (13812) End

